

N60201.AR.000456  
NS MAYPORT  
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
APPROVAL OF DRAFT TECHNICAL MEMORANDUM GROUNDWATER ASSESSMENT OF  
TETRACHLOROETHENE RELEASE NEAR BUILDING 191 NS MAYPORT FL

3/25/1999

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



# Department of Environmental Protection

Jeb Bush  
Governor

Twin Towers Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

David B. Struhs  
Secretary

March 25, 1999

Ms. Adrienne Wilson  
Department of the Navy, Southern Division  
Naval Facilities Engineering Command  
2155 Eagle Drive, PO Box 190010  
North Charleston, SC 29419-9010

file: 191gw\_1.doc

RE: Draft Technical Memorandum: Ground Water Assessment of Tetrachloroethene Release  
Near Building 191, U.S. Naval Station, Mayport, Florida

Dear Ms. Wilson:

I have reviewed the above document dated January 1999 (received January 25, 1999). We also reviewed the document in detail at our Partnering meeting in February and I have discussed the project area with Terry Hansen of Tetra Tech NUS. During the meeting and our other discussions, we discussed the inclusion of additional wells as needed as we developed additional information, including possible deep wells. We also named the area as AOC "C." I suggest that we remain open to including appropriate portions of Shore Intermediate Maintenance Facility within Area "C" should we need to. Accordingly, the document is adequate for its intent.

If you need further clarification or any additional information, please feel free to contact me at 850-921-4230.

Sincerely,

James H. Cason, P.G.  
Remedial Project Manager

CC: Randy Bishop, NAVSTA Mayport  
Martha Berry, U.S. EPA Region IV, Atlanta  
Frank Lesesne, HLA, Tallahassee

TJB B JJC JJC ESN ESN