

N60201.AR.000991
NS MAYPORT
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
APPROVAL OF CONFIRMATORY SAMPLING WORK PLAN FOR AREA OF CONCERN F NS
MAYPORT FL
7/6/2009
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Charlie Crist
Governor

Jeff Kottkamp
Lt. Governor

Michael W. Sole
Secretary

July 6, 2009

Mr. Brian Symes
Department of the Navy
Naval Facilities Engineering Command Southeast
Naval Air Station Jacksonville
Building 135
Post Office Box 30
Jacksonville, Florida 32212

**RE: Confirmatory Sampling Work Plan, Area of Concern F, Naval Station Mayport,
USEPA ID #FL9 170 024 260, Mayport, Florida, (Tetra Tech NUS, Inc., April 2008)**

Dear Mr. Symes:

I have completed my review of the subject document which was dated April 2008 and was received on April 25, 2008. This Work Plan was designed to guide soil and groundwater assessments at Area of Concern (AOC) F in the location of a release of Butimastic No. 50, a petroleum-based epoxy coating product, which leaked onto the soil. It provides the rationale and methodology for performing field activities to characterize soil and groundwater conditions at the referenced site. This letter is to acknowledge the Department's receipt of this report, and to concur with its stated objectives.

Thank you for the opportunity to review this document. If you require additional clarification or other assistance please feel free to contact me at 850/245-8999.

Sincerely,

John Winters, P.G.
Remedial Project Manager

JJC ESN

cc Tim Bahr, FDEP, Tallahassee