

N60201.AR.002889
NS MAYPORT
5090.3a

LETTER REGARDING FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
REVIEW AND APPROVAL OF DRAFT FINAL BIOX INJECTION LETTER REPORT SITE 1586
NS MAYPORT FL
12/19/2014
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



**FLORIDA DEPARTMENT OF
ENVIRONMENTAL PROTECTION**

BOB MARTINEZ CENTER
2600 BLAIRSTONE ROAD
TALLAHASSEE, FLORIDA 32399-2400

RICK SCOTT
GOVERNOR

CARLOS LOPEZ-CANTERA
LT. GOVERNOR

CLIFFORD D. WILSON III
INTERIM SECRETARY

December 19, 2014

Naval Facilities Engineering Command Southeast
Attn: Mr. Dana Hayworth OPUE3, Remedial Project Manager
135 Ajax Street North, Building 903
Naval Air Station Jacksonville
Jacksonville, Florida 32212-0030

**RE: Draft Final BIOX® Injection Letter Report, Site 1586, Naval Station Mayport, Facility ID#
16-8626008, USEPA ID #FL9 170 024 260, Mayport, Florida (Tetra Tech, December 2, 2014)**

Dear Mr. Hayworth:

I have reviewed the subject document dated December 2, 2014. The document was received on December 3, 2014. It was completed under Contract Task Order JM33.

Based on my review of the document, the Department concurs with Tetra Tech's recommendation to conduct one year of quarterly monitoring for site contaminants, and the injection permit required parameters, following the April 29 and May 1, 2014 BIOX injection to determine its effectiveness. Also, please include all of the figures, and the data for Attachments 1 and 2 in the Final document.

Thank you for the opportunity to review this document. If you require additional clarification or other assistance, please feel free to contact me at 850/245-8999.

Sincerely,

A handwritten signature in blue ink that reads 'John Winters'.

John Winters, P.G.
Remedial Project Manager
DOD & Brownfields Partnerships Section

Handwritten initials 'KAW' in blue ink.
KAW

cc Tim Bahr, FDEP, Tallahassee