

N65928.AR.001284
NTC ORLANDO
5090.3a

LETTER REGARDING REGULATORY REVIEW AND COMMENTS DRAFT DECISION
DOCUMENT FOR STUDY AREA 40 NTC ORLANDO FL
6/7/2002
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

June 7, 2002
OFFICIAL CORRESPONDENCE

Commanding Officer
attn: Mrs. Barbara Nwokike, Code ES333
Southern Division
Naval Facilities Engineering Command
Post Office Box 190010
North Charleston, SC 29419-9010

Dear Mrs. Nwokike:

I have completed my review of the Draft Decision Document for Study Area 40, Main Base, Orlando Naval Training Center, dated April 2002 (received April 5, 2002), prepared and submitted by Tetra Tech NUS, Inc. I have the following editorial comments that should be fixed in the final Decision Document:

- (1) On page 5, in the subsection titled **Groundwater Investigation**, the groundwater under SA 40 meets the Florida criteria for a G-II aquifer, not G-11 as stated in the text. Also, Chapter 62-550, Florida Administrative Code, describes a G-II aquifer as having a total dissolved solids content of less than 10,000 mg/L, not µg/L.
- (2) On page 5, in the section titled **Remedial Actions**, in the first paragraph it says that the Environmental Detachment Charleston removed approximately 6,100 cubic yards of soil and disposed of it at the North Grinder Landfill. The soil was actually disposed of at the Okechobee Landfill in Okechobee, Florida.
- (3) On page 7, in the section titled **Community Acceptance**, it should be stated when the Restoration Advisory Board was advised of the selected remedy of no further action for this site. Also, it says that RAB meetings occur bimonthly. While this was the case in the past, meetings now occur quarterly.

Please make the editorial changes mentioned above in the final report.

This electronic message is being sent in lieu of regular mail. If you have any questions concerning this review, please contact me at (850)921-9991.

Sincerely,

David P. Grabka, P.G.
Remedial Project Manager
MS4535
Florida Department of Environmental Protection
2600 Blair Stone Road
Tallahassee, FL 32399-2400
Office: 850.488.3935
Direct: 850.921.9991
FAX: 850.922.4939
david.grabka@dep.state.fl.us