

N61331.AR.001414
NSA PANAMA CITY
5090.3a

LETTER AND CONCURRENCE FROM FLORIDA DEPARTMENT OF ENVIRONMENTAL
PROTECTION REGARDING CONTAMINATION ASSESSMENT REPORT ADDENDUM SITE
278 NSA PANAMA CITY FL
9/21/1995
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Department of Environmental Protection

Lawton Chiles
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

September 21, 1995

Mr. Gabriel Magwood
Code 1849
Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
P.O. Box 190010
North Charleston, South Carolina 29419-9010


RE: Contamination Assessment Report Addendum, Site 278, Coastal
Systems Station Panama City
Contract No. N62467-89-D-0317, CTO No. 011
DEP Facility #035118667

Dear Mr. Magwood:

The Bureau of Waste Cleanup has reviewed the Contamination Assessment Report (CAR) Addendum dated May, 1995 (received May 5, 1995), submitted for this site. We found all the documents submitted to date to be adequate to meet the contamination assessment requirements of Rules 62-770.600 and 62-770.630, Florida Administrative Code (F.A.C.). Therefore, you must now submit a Remedial Action Plan (RAP) in accordance with Rule 62-770.700, F.A.C.

Please submit the RAP within two (2) months of receipt of this request, as required by Rule 62-770.700(1), F.A.C. If you should have any questions concerning this review, please contact me at (904)921-9989.

Sincerely,



John W. Mitchell
Remedial Project Manager

/jwm

cc: B.K. Morin, Navy SouthDiv
Arturo McDonald, Naval CSS Panama City
Craig Benedikt, USEPA Region IV
Tom Moody, FDEP Northwest District
Mark Diblin, ABB Tallahassee

TJB B

JJC JJC

ESN ESN

"Protect, Conserve and Manage Florida's Environment and Natural Resources"