



Florida Department of Environ.

Twin Towers Office Bldg. o 2600 Blair Stone Road o Tallahassee, Florida 32399-2400

Lawton Chiles, Governor

Carol M. Browner, Secretary

N00204.AR.000327

February 5, 1992

NAS PENSACOLA

5090.3A

Ms. Suzanne O. Sanborn
Code 18211
Department of the Navy
Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
P.O. Box 10068
Charleston, SC 29411-0068

Dear Ms. Sanborn:

Department personnel have completed the technical review of the NAS Pensacola Wastewater Treatment Facility's Quarterly Report on Groundwater Monitoring. I have enclosed a memorandum from Mr. Jorge Caspary to me. It documents our comments on the report.

If I can be of any further assistance with this matter, please contact me at (904)488-0190.

Sincerely,

Eric S. Nuzie
Federal Facilities Coordinator

ESN/dd

Enclosure

cc: Bill Kellenberger
Ron Joyner
John Mitchell
Lynn Griffin
Allison Drew



State of Florida
DEPARTMENT OF ENVIRONMENTAL REGULATION

For Routing To Other Than The Addressee	
_____	Location: _____
To: _____	Location: _____
To: _____	Location: _____
From: _____	Date: _____

Interoffice Memorandum

TO: Eric S. Nuzie, Federal Facilities Coordinator

THROUGH: Dr. James J. Crane, Administrator
Technical Review Section *JJC*

FROM: Jorge R. Caspary, Technical Review Section
Bureau of Waste Cleanup *J.R.C.*

DATE: January 29, 1991

SUBJECT: Review of Quarterly Report on Groundwater Monitoring.
Wastewater Treatment Facility. NAS Pensacola. 6/1/91 to
8/31/91.

The above referenced document has been reviewed and the following comment is offered for your consideration.

It is agreed that in general, the levels of inorganics and base neutral aromatics are similar to the preceding three sampling events, however, the results of the VOCs are somewhat disturbing especially at shallow zone well **GM-08** where the levels of VOCs are higher than in the three preceding sample events. These results indicate that due to the groundwater flow direction, it would be prudent for the Navy to monitor corrective action wells Nos **GM 71, 72, 77, and 78** for VOCs in the next sampling event.

Other than the above comment, the document presents data in a clear and concise manner.

19.6 Quarterly Monitoring Reports