



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IV

345 COURTLAND STREET, N.E.
ATLANTA, GEORGIA 30365

32501.001
01.01.01.0001

AUG 03 1992

4WD-FFB

N00204.AR.000413

NAS PENSACOLA

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

5090.3a

Ms. Linda Martin
Remedial Activities Branch
Department of the Navy - Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
Charleston, South Carolina 29411-0068

Re: EPA Study Plan, July 9, 1992: ESD Project No. 92-0666
NAS Pensacola, Florida

Dear Ms. Martin:

On June 9, 1992, EPA provided the Navy with a copy of our Draft Study Plan for a field investigation to be conducted the week of July 13, 1992. The Draft Study Plan was provided in order to give the Navy an opportunity to review and comment on this study plan prior to finalization and the commencement of field work.

Following review of the study plan, the Navy requested written assurance that all samples collected would be analyzed using Data Quality Objective (DQO) Level IV methodologies. In accordance with Region IV's Analytical Support Branch Standard Operating Procedures Manual, September 1990, all samples collected during this investigation will be analyzed using DQO Level IV protocol. This information is implicitly stated in paragraph 5, page 4, of the Draft Study Plan.

This letter is provided to the Navy in lieu of a revised study plan and, together with the Draft Study Plan, shall be considered the Final Study Plan. Please contact me at 404/347-3016 should you have further questions or concerns regarding this matter.

Sincerely yours,

Allison W. Drew, RPM
Department of Defense Remedial Section
Federal Facilities Branch

cc: Ron Joyner, NAS Pensacola
Eric Nuzie, FDER