



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION IV
345 COURTLAND STREET, N.E.
ATLANTA, GEORGIA 30365

N00204.AR.000502
NAS PENSACOLA
5090.3a

4WD-FPB

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Ms. Linda Martin
Remedial Activities Branch
Department of the Navy - Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
Charleston, South Carolina 29411-0068

Re: Finalization of Sampling and Analysis Plan (SAP) and RI/FS Work Plan
for Operable Unit 10:INWP;
NAS Pensacola, Florida
EPA Site ID No.: FL 9170024567

Dear Ms. Martin:

EPA is in receipt of the Navy's Final Sampling and Analysis Plan (SAP) Amendment for Operable Unit 10 (November 24, 1992 version). The Amendment adequately addresses our concerns with the Draft Final SAP which were presented in EPA correspondence to the Navy dated November 5, 1992. The amended version of the SAP is therefore approved and final. All sampling and methodologies contained in this SAP shall supercede any sampling and methodologies which were presented in the Final RI/FS Work Plan for Operable Unit 10 (February 1992 version).

Also, EPA wishes to confirm that the issues raised in our February 14, 1992 letter granting conditional approval of February 1992 version of the RI/FS Work Plan for Operable Unit 10 have been adequately addressed. EPA's approval of this document is, therefore, final. Replacement pages indicating that a habitat/biota map will be provided in the final RI/FS Report were received and inserted in the work plan in March 1992. The schedule to complete field work and prepare the draft RI/FS Report was also adequately shortened in the FY93 EMP (from 32 weeks to less than 23 weeks).

Sincerely yours,

Allison W. Drew, EPM
Department of Defense Remedial Section
Federal Facilities Branch

cc: Ron Joyner, NAS, Pensacola
Eric Nuzie, FDER

30