



Lawton Chiles  
Governor

# Florida Department of Environmental Protec

Twin Towers Office Building  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

32501.000  
09.01.00.0108  
N00204.AR.000642  
NAS PENSACOLA  
5090.3a

Virginia R. Wetherell  
Secretary

November 5, 1993

**CERTIFIED MAIL**  
**RETURN RECEIPT REQUESTED**

Ms. Linda Martin  
Code 1851  
Southern Division  
NAVFACENGCOM  
2155 Eagle Drive  
North Charleston, South Carolina 29419-9010

Dear Ms. Martin:

Department personnel have completed the technical review of the Aquifer Test Data Used In Site Characterization and Remedial Design, NAS Pensacola. I have enclosed a memorandum addressed to me from Mr. David M. Clowes. It documents our comments on the referenced report.

If I can be of any further assistance with this matter, please contact me at 904/488-0190.

Sincerely,

A handwritten signature in cursive script that reads "Eric S. Nuzie".

Eric S. Nuzie  
Federal Facilities Coordinator

ESN/sr

Enclosure

cc: David Clowes  
Satish Xastury  
Bill Kellenberger  
John Mitchell  
Allison Drew  
Ron Joyner

Florida Department of  
Environmental Protection

## Memorandum

TO: Eric S. Nuzie, Federal Facilities Coordinator  
Bureau of Waste Cleanup

THROUGH: James J. Crane, P.G. Administrator *JJC*  
Technical Review Section

Jorge R. Casgary, Professional Geologist *JRC*  
Technical Review Section

FROM: David M. Clowes, Remedial Project Manager *Dme*  
Technical Review Section

DATE: October 22, 1993

SUBJECT: Aquifer test data used in Site Characterization and  
Remedial Design, Naval Air Station Pensacola, Pensacola,  
Florida.

---

The above referenced document has been reviewed and the proposed  
aquifer tests appear acceptable.