



Lawton Chiles
Governor

Florida Department of Environmental Protection

Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Virginia B. Wetherell
Secretary

March 15, 1994

N00204.AR.000683
NAS PENSACOLA
5090.3a

Mr. **Bill** Hill
Code 1851
southern Division
NAVFACENGCOM
P.O. Box 190010
2155 Eagle Drive
North Charleston, SC 29419-9010

Dear Mr. Hill:

Department personnel have completed **the technical** review of **the draft Final** Comprehensive Sampling and Analysis **Plan, NAS** Pensacola. I have **enclosed** a memorandum addressed to me from Mr. David **M.** Clowes. It documents **our** comments on the referenced report.

If I *can* be of any further assistance with **this** matter, please contact **me** at 904/488-0190.

Sincerely,

A handwritten signature in cursive that reads "James J. Rene for ESN".

Eric S. Nuzie
~~Federal Facilities~~ Coordinator

ESN/st

Enclosure

cc: David Clowes
Satish Kastury
John Mitchell
Bill Kellenberger
Ron Joyner
Allison **Drew**

Florida Department of
Environmental Protection

Memorandum

TO: Eric S. Nuzie, Federal Facilities Coordinator
Bureau of Waste Cleanup

THROUGH: James J. Crane, P.G. Administrator *JJC*
Technical Review Section

Jorge R. Caspary, Professional Geologist *JRC.*
Technical Review Section

FROM: David M. Clowes, Remedial Project Manager *DWC*
Technical Review Section

DATE: March 4, 1994

SUBJECT: Draft Final Comprehensive Sampling and Analysis Plan,
Naval Air Station Pensacola.

Overall, this document appears acceptable. However, the sediment screening values of Long, MacDonald et al. (1993) agreed upon by the Navy, EPA, NOAA, contractors and FDEP at the February 17, 1994 meeting should be discussed in this document.