



**DEPARTMENT OF THE NAVY**  
SOUTHERN DIVISION  
NAVAL FACILITIES ENGINEERING COMMAND  
2155 EAGLE DR., P.O. BOX 190010  
NORTH CHARLESTON, S.C. 29419-9010

32501.029  
03.01.29.0019

PLEASE ADDRESS REPLY TO THE  
COMMANDING OFFICER, NOT TO  
THE SIGNER OF THIS LETTER.

REFER TO:  
**5090/13**  
**Code 18510**  
**18 May 94**

**CERTIFIED MAIL - RETURN RECEIPT REQUESTED**

N00204.AR.000715  
NAS PENSACOLA  
5090.3a

**Ms.** Allison Drew  
U. S. Environmental Protection Agency (EPA)  
Region IV  
**4WD/FFB**  
345 Courtland Street, N.E.  
Atlanta, Georgia **30365**

Subj: CONFIRMATORY *SAMPLING*

Dear **Ms.** Drew:

This letter provides notification of fieldwork at Naval Air ~~Station~~ (NAS) Pensacola. **As** described in our Phase I Field Investigation Technical Memorandum of March **16 1994**, confirmatory sampling will be accomplished to complete delineation at Sites **9, 29 and 34**. The data collected will be used to complete a Preliminary Site Characterization Report.

If you should have any questions, please contact Bill Hill (Code **1851**) or Bill Gates (Code **18510**), at (803) **743-0324** or (803) **743-0360** respectively.

Sincerely,

**WILLIAM J. HILL**  
Environmental Engineer  
Installation Restoration I Branch

copy to:  
NAS Pensacola (Mr. Ron Joyner, Code **00500**)  
~~EnSafe (Mr. Henry Beiro)~~  
EnSafe (Mr. Brian Caldwell)