

32501.009
09.01.09.0014
N00204.AR.000716
NAS PENSACOLA
5090.3a

5090/13
Code **18510**
18 May 94

CERTIFIED MAIL- RETURN RECEIPT REQUESTED

Mr. David Clowes
Florida Department of Environmental Protection
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Subj: CONFIRMATORY SAMPLING

Dear Mr. Clowes:

This letter provides notification of future fieldwork at Naval Air Station, Pensacola. As described in our Phase I Field Investigation Technical Memorandum of March 16, 1994, confirmatory sampling will be accomplished to complete delineation at Sites 9, 29 and 34. The data collected will be used to complete a Preliminary Site Characterization Report.

If you should have any questions regarding the enclosures, please contact Bill Hill (Code 1851) or Bill Gates (Code 18510), at (803) 743-0324 or (803) 743-0360 respectively.

Sincerely,

WILLIAM J. HILL
Environmental Engineer
Installation Restoration I Branch

copy to:
NAS Pensacola (Mr. Ron Joyner, Code 00500)
EnSafe (Mr. Henry Beiro)
EnSafe (Mr. Brian Caldwell)

ENVIR
1851
18510
AR
Daily
J:\CORR\1851BH\CONFIRM.FLA