



EnSafe / Allen & Hoshall

a joint venture for professional

5720 Summer Trees Dr. Suite 8 Memphis, TN 38134
(901)883-9115 Fax (901)883-1743

32501.036
09.01.36.0024

N00204.AR.001047
NAS PENSACOLA
5090.3a

December 4, 1995

Florida Department of Environmental Protection
Federal Facilities Coordinator
Attn: John Mitchell
Twin Towers Office Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Re: **F**inal Sampling and Analysis Plan **E**rrata Pages
Site **36** **I**WTP Sewer **L**ine
NAS Pensacola
Contract # N62467-89-D-0318/CTO-063

Dear Mr. Mitchell:

On behalf of the Navy, EnSafe/Allen & Hoshall is pleased to submit two copies of the errata pages for the Final Sampling and Analysis Plan for Site 36 — the IWTP Sewer Line at the Naval Air Station Pensacola in Pensacola, Florida. Please replace the previously submitted pages with the pages enclosed. Responses to FDEP comments are also enclosed. USEPA concurrence with the Site 36 Sampling Analysis Plan was received in a letter dated November 16, 1995.

Please let me know if you have any questions or comments regarding the plan.

Sincerely,

EnSafe/Allen & Hoshall

Allison L. Dennen
Task Order Manager

Enclosure

cc: Mr. **Bill Hill**, SOUTHNAVFACENGCOM without enclosure
Ms. Kimberly Reavis, Code 0233KR without enclosure
Mr. Tom Moody, FDEP — NW District without enclosure
Patricia Kincaid, FDEP — 1 copy
EnSafe/Allen & Hoshall file without enclosure
EnSafe/Allen & Hoshall Pensacola file without enclosure
EnSafe/Allen & Hoshall CTO file without enclosure

**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
RESPONSE TO COMMENTS
FINAL SAMPLING AND ANALYSIS PLAN (SAP) FOR SITE 36,
INDUSTRIAL WASTEWATER TREATMENT PLANT (IWTP) SEWER LINE,
NAVAL AIR STATION PENSACOLA**

Comment 1

It was **agreed** in the **response** to comments that the updated **Florida Soil Cleanup Goals** (FSCG) would be utilized. In Appendix A, the data is **correctly** compared to the **April 5, 1995** FSCG. However, throughout the text of the document, reference is to the July **1994** FSCG. This needs to **be corrected** with the proper dated version of the **FSCG** included on the **following** pages of the document: Page vi — **September 29, 1995**; Page 3 — **September 29, 1995**; and Page 6 — **April 5, 1995**. These changes *can* be submitted as errata pages. **Once** received, an approval letter **will** be submitted.

Response:

The above referenced changes have been made and are attached as errata pages.