



32501.015  
09.01.15.0038

ENSAFE INC.

ENVIRONMENTAL AND MANAGEMENT CONSULTANTS

---

1620 Market Place Boulevard • Knoxville, Tennessee 37922 • Telephone 423-693-3623 • facsimile 423-693-5061 • w.ensafe.com

August 31, 1999

N00204.AR.001802  
NAS PENSACOLA  
5090.3a

Mr. Joe Fugitt  
Technical Review Section  
State of Florida  
Department of Environmental Protection  
MS 4535  
2600 Blair Stone Road  
Tallahassee, FL 32399-2400

RE: Errata: Revised Table 9-25, Site 15 Remedial Investigation Report  
Naval Air Station Pensacola. Contract # N62467-89-D-0318/071

Dear Mr. Fugitt:

On behalf of the Navy, EnSafe Inc. is pleased to submit the revised Table 9-25 for the above-referenced RI. The correction to the chromium concentration detected in sample 015-G-GR03-03 resulted in increased hazard quotients for both the residential and site worker scenario, but not in increased cancer risk. Therefore, no additional corrections to the RI report are required. Please replace page 9-81 and 9-82 of the RI with this errata.

Should you have any comments or questions regarding this errata, please contact me at your earliest convenience.

Sincerely,

EnSafe Inc.

Brian Caldwell. PG

cc: Bill Hill - SouthDiv  
Allison Harris - Memphis