



ENSAFE INC.

ENVIRONMENTAL AND MANAGEMENT CONSULTANTS

5724 Summer Trees Drive • Memphis, Tennessee 38134 • Telephone 901-372-7962 • Facsimile 901-372-2454 • www.ensafe.com

January 11, 2000

John C. Pace Library
University of West Florida
Attn: Ms. Linda Boldyreff, Document Department
11000 University Parkway
Pensacola, Florida 32514-5750

Re: Final Baseline Risk Assessment Errata,
Operable Unit 2 (Sites 11, 12, 25, 26, 27 and 30), NAS Pensacola
Contract # N62467-89-D-0318/059

Dear Ms. Boldyreff:

On behalf of the Navy, EnSafe Inc. is pleased to submit one copy of the Final Baseline Risk Assessment errata pages for the Operable Unit 2 (Sites 11, 12, 25, 26, 27 and 30) Remedial Investigation Report for the Naval Air Station Pensacola in Pensacola, Florida. Responses to FDEP comments are also enclosed. Comments were not provided by USEPA. Please update your RI report copy with the enclosed errata pages.

If you should have any questions or need any additional information regarding the document, please do not hesitate to call me+

Sincerely,
EnSafe Inc.

A handwritten signature in cursive script that reads "Allison Harris".

Allison Harris
Task Order Manager

Enclosure

cc: Bill Hill, Code 1851 SOUTHNAVFACENGCOCM without enclosure
Ron Joyner, NAS Pensacola without enclosure
EnSafe Inc. file without enclosure
EnSafe Inc. Knoxville without enclosure
EnSafe Inc. Library without enclosure
Terry Hansen TetraTech NUS Administrative Record without enclosure