



ENSAFE INC.

ENVIRONMENTAL AND MANAGEMENT CONSULTANTS

5724 Summer Trees Drive • Memphis, Tennessee 38134 • Telephone 901-372-7962 • Facsimile 901-372-2454 • www.ensafe.com

January 11, 2000

Jesse Rigby
125 West Romana Street, Suite 800
Pensacola, Florida 32501

Re: Final Baseline Risk Assessment Errata,
Operable Unit 2 (Sites 11, 12, 25, 26, 27 and 30), NAS Pensacola

Dear Mr. Rigby:

On behalf of the Navy, EnSafe Inc. is pleased to notify you that the Final Baseline Risk Assessment errata pages for the Operable Unit 2 (Sites 11, 12, 25, 26, 27, and 30) Remedial Investigation Report for the Naval Air Station Pensacola in Pensacola, Florida have been submitted. Responses to FDEP comments are also enclosed. Comments were not provided by USEPA. The executive summary for the RI report did not change from its previous submittal, therefore it is not enclosed. However, if you desire a copy of the executive summary or the errata pages, please contact Ron Joyner at NAS Pensacola at (850) 452-4611.

If you should have any questions or need any additional information regarding the document, please do not hesitate to call me.

Sincerely,
EnSafe Inc.

Allison Harris
Task Order Manager

Enclosure

cc: Mr. Bill Hill, Code 1851 SOUTHNAVFACENCOM
Mr. Harry White, NAS Pensacola PAO
Mr. Ron Joyner, NAS Pensacola
Mr. John Early
Mr. Jerry Westmoreland
Ms. Lisa Minshew
Mr. Pompeli Ucci

EnSafe Inc. file
EnSafe Inc. Knoxville
EnSafe Inc. Library
Terry Hansen TetraTech NUS Administrative Record

ENSAFE