



Jeb Bush
Governor

Department of Environmental Protection

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

David B. Struhs
Secretary

N00204.AR.001864
NAS PENSACOLA
5090.3a
32501.040
09.01.40.0008

January 19, 2000

Mr. Bill Hill
Code 1851
Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
P.O. Box 190010
North Charleston, South Carolina 29419-9010

RE: **Draft** Remedial Investigation Report **Addendum**, Site 40,
NAS Pensacola

Dear Mr. Hill:

I have completed the **technical** review of the above referenced document dated June 11, 1999 (received June 14, 1999).

The document, which presents a site-specific risk assessment for the fish ingestion pathway, **outlines** a number of uncertainties associated with the **estimated** risk. These uncertainties could be **reduced** by actually **collecting tissue** samples of **game** fish and measuring the concentrations of chemicals of **potential** concern.

If I can be of any further assistance with this matter, please contact me at (850) 921-9989.

Sincerely,

Joseph F. Fugitt, P.G.
Remedial Project Manager

cc: Ron Joyner, NAS Pensacola
Gena Townsend, USEPA Region IV
Brian Caldwell, EnSafe, Knoxville
Allison Harris, EnSafe, Memphis
Tom Dillon, NOAA, USEPA, Region IV
Tom Lubozynski, FDEP Northwest District

TJB

JJC

ESN

"Protect, Conserve and Manage Florida's Environment and Natural Resources"

Printed on recycled paper.