

From: Bolanos, Tracie [Tracie.Bolanos@dep.state.fl.us]
Sent: Friday, November 17, 2006 10:36 AM
To: Bolanos, Tracie; ewien@aerostar.net; epost_nwdwaste; Gerald Walker (E-mail); Greg Campbell (E-mail); Hill, William J CIV EFDSOUTH
Subject: UST 14 FDEP RTC for Year 2 Third and Fourth Quarter Post-Injection Groundwater Monitoring Letter Report

Department of Environmental Protection

Jeb Bush
Governor

Twin Towers Building
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Colleen M. Castille
Secretary

OFFICIAL CORRESPONDENCE - This electronic message is sent in lieu of regular mail.

From: Tracie L. Bolanos

Date: November 17, 2006

To: Bill Hill

Facility: Naval Air Station Pensacola

Site and/or Documents

1. Year Two - Third Quarter Post-Injection Groundwater Monitoring Letter Report, Underground Storage Tank 14

Document Date: April 21, 2006

Receipt Date of Document: April 21, 2006

Comment 1: The Department has approved the subject document and agrees with the recommendation to continue quarterly monitoring of the site.

2. Year Two - Fourth Quarter Post-Injection Groundwater Monitoring Letter Report, Underground Storage Tank 14

Document Date: July 26, 2006

Receipt Date of Document: July 27, 2006

Comment 1: The Department has several questions that must be addressed before approval the subject document. It was recommended that sampling continue on TW-04, MW-01S, MW-02S, MW-10S, and MW-11S only. Will you be keeping an up gradient well to the west of the area of concern?

Comment 2: You have also recommended that analysis of VOCs and TRPH, which are BDL or below their respective GCTLs be discontinued. What are the COC that you will continue to analyze for and does this include the continuation of the light gas and natural attenuation monitoring?

Tracie L. Bolanos

Project Manager

Florida Department of Environmental Protection

2600 Blairstone Road

Tallahassee, Florida 32399

Phone (850) 245-8998