

N00204.AR.003044
NAS PENSACOLA
5090.3a

LETTER REGARDING REVIEW AND COMMENT ON DRAFT PROPOSED PLAN FOR SITE
46 FORMER BUILDING 72 NAS PENSACOLA FL
5/20/2011
NAVFAC SOUTHEAST



DEPARTMENT OF THE NAVY
NAVAL FACILITIES ENGINEERING COMMAND SOUTHEAST
JACKSONVILLE, FL 32212-0030

5090
Ser OPUE3/0085
May 20, 2011

U.S. Environmental Protection Agency, Region 4
Federal Facilities Branch
Sam Nunn Atlanta Federal Center
Attn: Ms. Julie Corkran, PhD
61 Forsyth Street, SW
Atlanta, GA 30303

Dear Ms. Corkran:

**SUBJECT: U.S. EPA REVIEW AND COMMENT ON THE NAVY'S DRAFT PROPOSED PLAN
SUBMITTAL FOR OPERABLE UNIT 21, SITE 46 - NAVAL AIR STATION
PENSACOLA, FLORIDA**

The Navy submitted our Draft Proposed Plan for Operable Unit 21, Site 46, Former Building 72 at NAS Pensacola, FL to U.S EPA and FDEP on February 14, 2011. Per FFA Primary Document review and comment requirements, EPA and FDEP comments on that draft were due to the Navy on or before May 14, 2011; however, we have yet to receive EPA's comments.

The Navy is aware that by letter dated March 17, 2011, EPA Region 4 invoked informal dispute over our draft final Proposed Plan submission for Site 44 and therein proposed that the Team temporarily suspend all FY 2011 Milestones for Operable Units 20 and 21, which would include Site 46. To date, however, there has been no agreement amongst the Team on that issue and Site 46 does not directly fall under the scope of that particular invocation. Thus, the Navy believes that the FFA's consultation procedures including agency review and comment timelines applying to Site 46 should still be adhered to unless and until otherwise agreed to by the Team so that the CERCLA process for those sites can expeditiously proceed.

We look forward to discussing this issue further in our upcoming Team meeting next week. Should you require further details or clarifications in the meantime, please do not hesitate to contact Ms. Patty Marajh-Whittemore at: (904) 542-6202 or by email at: patty.whittemore@navy.mil.

Sincerely,

H. S. LOCKARD, PE
IPT GC Restoration Section Head
By direction of the Commanding Officer

Copy to:
Mr. David Grabka (FDEP)
Mr. Greg Campbell (NASP PWC)
Mr. Gerry Walker (Tetra Tech)
Ms. Helen Lockard (NAVFAC SE)