

N00204.AR.004038
NAS PENSACOLA
5090.3a

LETTER AND CONCURRENCE FROM FLORIDA DEPARTMENT OF ENVIRONMENTAL
PROTECTION REGARDING SAMPLING AND ANALYSIS PLAN FOR
GROUNDWATER/SURFACE WATER INTERFACE OPERABLE UNIT 2 (OU2) SITES 11 AND
30 NAS PENSACOLA FL
7/3/2012
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Jennifer Carroll
Lt. Governor

Herschel T. Vinyard Jr.
Secretary

July 3, 2012

Ms. Patty Marajh-Whittemore
Remedial Project Manager
ITP Gulf Coast
Naval Facilities Engineering Command Southeast
Attn: AJAX Street, Building 135N
P.O. Box 30A
Jacksonville, FL 32212-0030

RE: Response to Florida Department of Environmental Protection Comments (Nov. 17, 2011) on the Sampling and Analysis Plan (Field Sampling Plan and Quality Assurance Project Plan) Groundwater/Surface Water Interface, Operable Unit 2 (OU 2) - Sites 11 and 30, Naval Air Station Pensacola, Pensacola, Florida.

Dear Patty:

The Department has reviewed the Response to Florida Department of Environmental Protection Comments (December 13, 2010) on the Sampling and Analysis Plan (Field Sampling Plan and Quality Assurance Project Plan) Groundwater/Surface Water Interface, Operable Unit 2 (OU 2) - Sites 11 and 30, Naval Air Station Pensacola, dated November 22, 2011 (received November 23, 2011). My comments appear to have been adequately addressed.

If you have any questions regarding this letter, please contact me at (850) 245-8997.

Sincerely,

David P. Grabka, P.G.
Remedial Project Manager
Federal Programs Section
Bureau of Waste Cleanup

DOD_11_1829/DOD_11_1843

www.dep.state.fl.us