

N00204.AR.004148
NAS PENSACOLA
5090.3a

HEALTH AND SAFETY PLAN FOR SITE ASSESSMENT SHERMAN FUEL FARM
UNDERGROUND STORAGE TANK 24 NAS PENSACOLA FL
6/1/2000
TETRA TECH

Health and Safety Plan
Site Assessment
at
Sherman Field Fuel Farm
UST Site 00024

Naval Air Station Pensacola
Pensacola, Florida



Southern Division
Naval Facilities Engineering Command
Contract No. N62467-94-D-0888
Contract Task Order 0132

June 2000

HEALTH AND SAFETY PLAN

**SITE ASSESSMENT
AT
SHERMAN FIELD FUEL FARM**

**NAVAL AIR STATION PENSACOLA
PENSACOLA, FLORIDA**

**COMPREHENSIVE LONG-TERM
ENVIRONMENTAL ACTION-NAVY (CLEAN) CONTRACT**


**Submitted to:
Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive
North Charleston, South Carolina 29406**

**Submitted by:
Tetra Tech NUS, Inc.
661 Andersen Drive
Pittsburgh, Pennsylvania 15222**

**CONTRACT NUMBER N62467-94-D-0888
CONTRACT TASK ORDER 0132**

JUNE 2000

**PREPARED UNDER THE
SUPERVISION OF:**



**GERALD WALKER, P.G.
TASK ORDER MANAGER
TETRA TECH NUS, INC.
TALLAHASSEE, FLORIDA**

APPROVED FOR SUBMITTAL BY:



**MATTHEW M. SOLTIS, CIH, CSP
CLEAN HEALTH & SAFETY MANAGER
TETRA TECH NUS, INC.
PITTSBURGH, PENNSYLVANIA**

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
1.0 INTRODUCTION	1-1
1.1 KEY PROJECT PERSONNEL AND ORGANIZATION.....	1-1
1.2 SITE INFORMATION AND PERSONNEL ASSIGNMENTS	1-3
2.0 EMERGENCY ACTION PLAN	2-1
2.1 INTRODUCTION	2-1
2.2 PRE-EMERGENCY PLANNING	2-1
2.3 EMERGENCY RECOGNITION AND PREVENTION	2-2
2.3.1 Recognition	2-2
2.3.2 Prevention	2-2
2.4 SAFE DISTANCES AND PLACES OF REFUGE	2-3
2.5 EVACUATION ROUTES AND PROCEDURES	2-3
2.6 EMERGENCY ALERTING AND ACTION/RESPONSE PROCEDURES	2-3
2.7 EMERGENCY CONTACTS	2-4
2.8 ROUTE TO HOSPITALS	2-5
2.9 DECONTAMINATION PROCEDURES/EMERGENCY MEDICAL TREATMENT.....	2-6
2.10 INJURY/ILLNESS REPORTING	2-6
3.0 SITE BACKGROUND	3-1
3.1 NAS PENSACOLA.....	3-1
3.2 SHERMAN FIELD FUEL FARM.....	3-1
4.0 SCOPE OF WORK	4-1
5.0 TASKS/HAZARDS/ASSOCIATED CONTROL MEASURES SUMMARIZATION	5-1
6.0 HAZARD ASSESSMENT	6-1
6.1 CHEMICAL HAZARDS	6-1
6.2 PHYSICAL HAZARDS	6-1
6.3 NATURAL HAZARDS.....	6-2
6.3.1 Insect/Animal Bites and Stings.....	6-2
6.3.2 Inclement Weather	6-3
7.0 AIR MONITORING	7-1
7.1 INSTRUMENTS AND USE	7-1
7.1.1 Photoionization Detector.....	7-1
7.1.2 Hazard Monitoring Frequency.....	7-1
7.2 INSTRUMENT MAINTENANCE AND CALIBRATION.....	7-2
8.0 TRAINING/MEDICAL SURVEILLANCE REQUIREMENTS	8-1
8.1 INTRODUCTORY/REFRESHER/SUPERVISORY TRAINING	8-1
8.1.1 Requirements for TtNUS Personnel.....	8-1
8.1.2 Requirements for Subcontractors	8-1
8.2 SITE-SPECIFIC TRAINING	8-3
8.3 MEDICAL SURVEILLANCE	8-3
8.3.1 Medical Surveillance Requirements for TtNUS Personnel	8-3
8.3.2 Medical Surveillance Requirements for Sucontractors	8-5
8.3.3 Requirements for all Field Personnel	8-5
8.4 SUBCONTRACTOR EXCEPTIONS.....	8-5

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
9.0 SITE CONTROL	9-1
9.1 EXCLUSION ZONE	9-1
9.2 CONTAMINATION REDUCTION ZONE	9-1
9.3 SUPPORT ZONE	9-1
9.4 SAFE WORK PERMITS	9-1
9.5 SITE VISITORS	9-4
9.6 SITE SECURITY	9-4
9.7 SITE MAP	9-5
9.8 BUDDY SYSTEM	9-5
9.9 MATERIAL SAFETY DATA SHEETS (MSDS) REQUIREMENTS	9-5
9.10 COMMUNICATION	9-5
10.0 SPILL CONTAINMENT PROGRAM	10-1
10.1 SCOPE AND APPLICATION	10-1
10.2 POTENTIAL SPILL AREAS	10-1
10.3 LEAK AND SPILL DETECTION	10-1
10.4 PERSONNEL TRAINING AND SPILL PREVENTION	10-1
10.5 SPILL PREVENTION AND CONTAINMENT EQUIPMENT	10-2
10.6 SPILL CONTROL PLAN	10-2
11.0 CONFINED-SPACE ENTRY	11-1
12.0 MATERIALS AND DOCUMENTATION	12-1
12.1 MATERIAL TO BE POSTED OR MAINTAINED AT THE SITE	12-1
13.0 GLOSSARY	13-1

ATTACHMENTS

- ATTACHMENT I - INJURY/ILLNESS PROCEDURE AND REPORT FORM
- ATTACHMENT II - STANDARD OPERATING PROCEDURE FOR UTILITY LOCATING AND EXCAVATION CLEARANCE
- ATTACHMENT III - EQUIPMENT INSPECTION CHECKLIST
- ATTACHMENT IV - SAFE WORK PERMITS
- ATTACHMENT V - MEDICAL DATA SHEET

TABLES

<u>Table</u>		<u>Page</u>
2-1	Emergency Contacts	2-5
5-1	Tasks/Hazards/Control Measures Compendium	5-3
6-1	Chemical, Physical and Toxicological Data	6-4

FIGURES

<u>Figure</u>		<u>Page</u>
2-1	Hospital Route	2-7
3-1	Site Map	3-2
7-1	Documentation of Field Calibration	7-3
8-1	Training Letter	8-2
8-2	Site-Specific Training Documentation	8-3
8-3	Subcontractor Medical Approval Form	8-6
8-4	Medical Surveillance Letter	8-8
9-1	Blank Safe Work Permit.....	9-3

1.0 INTRODUCTION

This Health and Safety Plan (HASP) has been written to encompass site activities that are to be conducted at the Naval Air Station Pensacola (NAS Pensacola), Pensacola, Florida as part of Contract Task Order (CTO) 0132. Specifically, this HASP addresses activities associated with the site assessment program that will be conducted at the Sherman Field Fuel Farm within NAS Pensacola. This HASP was prepared for NAS Pensacola as part of an overall effort conducted under Comprehensive Long-Term Environmental Action Navy (CLEAN III) administered through the U.S. Navy Southern Division Naval Facilities Engineering Command (NAVFAC), as defined under Contract Number N62467-94-D-0888. In addition to the HASP, a copy of the Tetra Tech NUS, Inc. (TtNUS) Environmental Health and Safety Guidance Manual must be present at the site during the performance of site activities. The Guidance Manual provides detailed information pertaining to the HASP, as well as TtNUS Standard Operating Procedures (SOP's). Both documents must be present at the site to comply with the requirements stipulated in the Occupational Safety and Health Administration (OSHA) standard 29 CFR 1910.120.

This HASP has been developed using the latest available information regarding known or suspected chemical contaminants and potential physical hazards associated with the proposed work and site. The HASP will be modified if new information becomes available. All changes to the HASP will be made by the Project Health & Safety Officer (PHSO) and approved by the TtNUS Health and Safety Manager (HSM) and the Task Order Manager (TOM). The TOM will notify affected personnel of all changes.

The elements of this HASP are in compliance with the requirements established by OSHA 29 CFR 1910.120, "Hazardous Waste Operations and Emergency Response" (HAZWOPER), and sections of 29 CFR 1926, "Safety and Health Regulations for Construction". The information contained in this plan, as well as policies on conducting onsite operations, have been obtained from the TtNUS Health and Safety Program.

1.1 KEY PROJECT PERSONNEL AND ORGANIZATION

This section defines responsibility for site safety and health for TtNUS and subcontractor employees engaged in onsite activities. Personnel assigned to these positions will exercise the primary responsibility for all onsite health and safety. These persons will be the primary points of contact for any questions regarding the safety and health procedures and the selected control measures that are to be implemented for onsite activities.

- The TtNUS TOM is responsible for the overall direction of health and safety for this project.
- The PHSO is responsible for developing this HASP in accordance with applicable OSHA regulations. Specific responsibilities include:
 - i. Providing information regarding site contaminants and physical hazards associated with the site.
 - ii. Establishing air monitoring and decontamination procedures.
 - iii. Assigning personal protective equipment based on task and potential hazards.
 - iv. Determining emergency response procedures and emergency contacts.
 - v. Stipulating training requirements and reviewing appropriate training and medical surveillance certificates.
 - vi. Providing standard work practices to minimize potential injuries and exposures associated with hazardous waste work.
 - vii. Modify this HASP, as it becomes necessary.
- The TtNUS Field Operations Leader (FOL) is responsible for implementation of the HASP with the assistance of an appointed Site Safety Officer (SSO). The FOL manages field activities, executes the work plan, and enforces safety procedures as applicable to the work plan.
- The SSO supports site activities by advising the FOL on all aspects of health and safety on-site. These duties may include:
 - i. Coordinates all health and safety activities with the FOL.
 - ii. Selects, applies, inspects, and maintains personal protective equipment.
 - iii. Establishes work zones and control points in areas of operation.
 - iv. Implements air monitoring program for onsite activities.
 - v. Verifies training and medical clearance of onsite personnel status in relation to site activities.
 - vi. Implements Hazard Communication, Respiratory Protection Programs, and other associated health and safety programs as they may apply to site activities.
 - vii. Coordinates emergency services.
 - viii. Provides site-specific training for all onsite personnel.
 - ix. Investigates all accidents and injuries (see Attachment I - Injury/Illness Procedure and Report Form)
 - x. Provides input to the PHSO regarding the need to modify, this HASP, or applicable health and safety associated documents as per site-specific requirements.

- Compliance with the requirements stipulated in this HASP is monitored by the SSO and coordinated through the TtNUS CLEAN HSM.

Note: In some cases one person may be designated responsibilities for more than one position. For example, at NAS Pensacola the FOL may also be responsible for SSO duties. This action will be performed only as credentials, experience, and availability permits.

1.2 SITE INFORMATION AND PERSONNEL ASSIGNMENTS

Site Name: Naval Air Station Pensacola **Address:** Pensacola, Florida

Navy Engineer-in-Charge: Mr. Byas Glover **Phone Number:** (843) 820-5651

Facility Contact: Mr. Greg Cambell **Phone Number:** (850) 452-4611 Ext. 103

Purpose of Site Visit: This activity is divided into a multi-task operation (see Section 4.0), including groundwater and soil sampling, and other related activities.

Proposed Dates of Work: May 30, 2000 through May 1, 2001

Project Team:

TtNUS Personnel:

Gerald Walker, P.G.

TBD

Matthew M. Soltis, CIH, CSP

James K. Laffey

TBD

Discipline/Tasks Assigned:

Task Order Manager (TOM)

Field Operations Leader (FOL)

CLEAN Health and Safety Manager (HSM)

Project Health and Safety Officer (PHSO)

Site Safety Officer (SSO)

Non-TtNUS Personnel

TBD

TBD

Affiliation/Discipline/Tasks Assigned

Hazard Assessments (for purposes of 29 CFR 1910.132) and HASP preparation conducted by:

James K. Laffey

TBD - To be determined

2.0 EMERGENCY ACTION PLAN

2.1 INTRODUCTION

This section is part of a planning effort to direct and guide field personnel in the event of an emergency. All site activities will be coordinated with NAS Pensacola Emergency Services prior to commencement. In the event of an emergency, which cannot be mitigated using onsite resources, personnel will evacuate to a safe place of refuge and the FOL will contact "911" to report the emergency. Site personnel may transport ill workers or those who have non-serious injuries to medical facilities, provided that such transport can be done safely. The emergency response agencies listed in this plan are capable of providing the most effective response, and as such, will be designated as the primary responders. These agencies are located within a reasonable distance from the area of site operations, which ensures adequate emergency response time. NAS Pensacola Emergency Dispatch will be notified anytime outside response agencies are contacted. This Emergency Action Plan conforms to the requirements of 29 CFR 1910.38(a), as allowed in 29 CFR 1910.120(l)(1)(ii).

TtNUS will, through necessary services, include initial response measures for incidents such as:

- Initial fire-fighting support and prevention
- Initial spill control and containment measures and prevention
- Removal of personnel from emergency situations
- Provision of initial medical support for injury/illness requiring only first-aid level support
- Provision of site control and security measures as necessary

2.2 PRE-EMERGENCY PLANNING

Through the initial hazard/risk assessment effort, injury or illness resulting from exposure to chemical or physical hazards are the most probable emergencies that can be encountered during site activities. To minimize and eliminate these potential emergency situations, pre-emergency planning activities associated with this project include the following. The SSO and/or the FOL are responsible for:

- Coordinating response actions with NAS Pensacola Emergency Services personnel to ensure that TtNUS emergency action activities are compatible with existing facility emergency response procedures.
- Establishing and maintaining information at the project staging area (Support Zone) for easy access in the event of an emergency. This information includes the following:

- Chemical Inventory (for substances used onsite), with Material Safety Data Sheets.
 - Onsite personnel medical records (medical data sheets).
 - A logbook identifying personnel onsite each day.
 - Emergency notification phone numbers in all site vehicles
-
- Identifying a chain of command for emergency action.
 - Educating site workers to the hazards and control measures associated with planned activities at the site, and providing early recognition and prevention, where possible.

It is the responsibility of the TtNUS FOL to ensure that this information is available and present at the site.

2.3 EMERGENCY RECOGNITION AND PREVENTION

2.3.1 Recognition

Foreseeable emergency situations that may be encountered during site activities will generally be recognizable by visual observation. A clear knowledge of the signs and symptoms of overexposure to contaminants of concern may alert personnel of the potential hazards concerning themselves or their fellow workers. These potential hazards, the activities with which they have been associated, and the recommended control methods are discussed in detail in Sections 5.0 and 6.0 of this document. Additionally, early recognition will be supported by periodic site surveys to eliminate any conditions that may predispose site personnel or properties to an emergency. These surveys will consist of ensuring:

- Approach paths to monitoring wells are maintained (cleared, mowed, etc.)
- Monitoring well protective casings are cleared of spider and insect nests.

The FOL and the SSO will constitute the site evaluation committee responsible for these periodic surveys. Site surveys will be conducted at least once a week during the initiation of this effort. These surveys will be documented in the Project Logbook.

The above actions will provide early recognition for potential emergency situations. Should an incident take place, TtNUS will take defensive and offensive measures to control these situations. However, if the FOL and/or the SSO determine that an incident has progressed to a serious emergency situation, TtNUS will withdraw, and notify the appropriate response agencies.

2.3.2 Prevention

TtNUS and subcontractor personnel will minimize the potential for emergencies by ensuring compliance with the HASP, the Health and Safety Guidance Manual, applicable OSHA regulations, and through periodic site surveys of work areas.

2.4 SAFE DISTANCES AND PLACES OF REFUGE

In the event the site must be evacuated, all personnel will immediately stop activities and report to the FOL at the place of safe refuge. Safe places of refuge will be determined prior to commencement of site activities and will be conveyed to personnel as part of the daily safety meeting conducted each morning. Upon reporting to the refuge location, personnel will remain there until directed otherwise by the TtNUS FOL. The FOL or the SSO will take a head count at this location to confirm the location of all site personnel. The site logbook will be used to take the head count. Places of refuge will ideally be selected which offer a point for communication purposes should this be required.

2.5 EVACUATION ROUTES AND PROCEDURES

Once an evacuation is initiated, personnel will proceed immediately to the designated place of refuge, unless doing so would further jeopardize the welfare of workers. In such an event, personnel will proceed to a designated alternate location (to be identified) and remain there until further notification from the FOL. The use of these locations as assembly points provides communication and a direction point for emergency services, should they be needed.

Evacuation procedures will be discussed prior to the initiation of any work at the site. This shall include identifying primary and secondary evacuation routes and assembly points. Evacuation routes from the site are dependent upon the location at which work is being performed and the circumstances under which an evacuation is required. Additionally, site location and meteorological conditions (i.e., wind speed and direction) will influence the designation of evacuation routes. As a result, assembly points at NAS Pensacola will be selected, and in the event of an emergency, field personnel will proceed to these points by the most direct route possible without further endangering themselves.

2.6 EMERGENCY ALERTING AND ACTION/RESPONSE PROCEDURES

Since TtNUS personnel will not always be working in the proximity of each other, hand signals, voice commands, air horns, and/or two-way radios may comprise the mechanisms to alert site personnel of an emergency.

If an incident occurs, site personnel will initiate the following procedures:

- Initiate incident alerting procedures (if needed) verbally, by air horn, or using two-way radios.
- Evacuate non-essential personnel.
- Initiate initial response procedures.
- Describe to the FOL (who will serve as the Incident Commander) what has occurred in as much detail as possible.

In the event that site personnel cannot control the incident through offensive and/or defensive measures, the FOL and/or the SSO will enact emergency notification procedure to secure additional outside assistance in the following manner:

- Report the emergency to the NAS Pensacola Emergency Dispatch (See Table 2-1). Call 911 for outside emergency service if unable to contact the Emergency Dispatch.
- Give the emergency operator the location of the emergency and a brief description of what has occurred.
- Stay on the phone follow the instructions given by the operator
- The appropriate agency will be notified and dispatched
- Call Navy On-Site Representative
- Call TOM

If an incident occurs at outside of our designated operating areas impacting field personnel, the following procedures are to be initiated:

- Initiate an evacuation (if needed) by voice commands, hand signals, air horns, or two-way radio.
- Call Navy On-Site Representative
- Proceed to the assembly points as directed by NAS Pensacola or other Navy personnel.

2.7 EMERGENCY CONTACTS

Prior to performing work at the site, all personnel will be thoroughly briefed on the emergency procedures to be followed in the event of an incident. A mobile phone shall be available at the site. Table 2-1 provides a list of emergency contacts and their corresponding telephone numbers. These numbers will be used for all of the site to be visited during this project. This table must be posted at the site where it is readily available to all site personnel.

**TABLE 2-1
EMERGENCY CONTACTS
NAS PENSACOLA**

AGENCY	TELEPHONE
NAS Pensacola - Emergency Dispatch	(850) 452-3333
EMERGENCY (outside services) (Police, Fire, and Ambulance Services)	911
Navy Engineer-in-Charge - Byas Glover	(843) 820-5651
Navy Facility Contact - Greg Campbell	(850) 452-4611 Ext. 103
Navy Hospital	(850) 505-6600
Baptist Hospital	(850) 469-2313
TtNUS Tallahassee Office and Task Order Manager (Gerry Walker)	(850) 385-9899
CLEAN Health and Safety Manager Matthew M. Soltis, CIH, CSP	(412) 921-8912
Project Health and Safety Officer James K. Laffey	(412) 921-8678
WorkCare	(800) 455-6155

2.8 ROUTE TO HOSPITALS

For emergency care only, non-Navy personnel are permitted to go to the Navy Hospital.

Navy Hospital
Highway 98
Pensacola, Florida
(850) 505-6600

Directions to the Navy Hospital from the site are as follows:

Proceed out of Main Gate (Navy Blvd) heading north to US Highway 98. Turn left (heading west) on US 98 and proceed approximately 1 mile. Hospital will be on the right (Building 2268).

Baptist Hospital (850-469-2313) will be used for all non-emergency care services. Directions to this Hospital from the Main Gate of NAS Pensacola are:

Proceed out of Main Gate (Navy Blvd) heading north to Hwy 292. Turn right (heading east) on Hwy 292 until it turns into Garden Street (approx. 3 miles). Take Garden Street to intersection with "E" Street. Turn left onto "E" Street and proceed approximately 1 mile to Hospital on left.

A map indicating the travel route from the site to these Hospital is provided as Figure 2-1.

2.9 DECONTAMINATION PROCEDURES/EMERGENCY MEDICAL TREATMENT

During any site evacuation, decontamination procedures will be performed only if doing so does not further jeopardize the welfare of site workers. Decontamination will not be performed if the incident warrants immediate evacuation. However, it is unlikely that an evacuation would occur which would require workers to evacuate the site without first performing the necessary decontamination procedures.

TtNUS personnel will perform removal of personnel from emergency situations and may provide initial medical support for injury/illnesses requiring only first-aid level support. Medical attention above that level will require assistance and support from the designated emergency response agencies. **If the emergency involves personnel exposures to chemicals, contact our medical provider (WorkCare) at 800-455-6155.**

2.10 INJURY/ILLNESS REPORTING

If any TtNUS personnel are injured or develop an illness as a result of working at the site, the TtNUS "Injury/Illness Procedure" (Attachment I) must be followed. Following this procedure is necessary for documenting all of the information obtained at the time of the incident.

FIGURE 2-1
Route to Hospital

3.0 SITE BACKGROUND

3.1 NAS PENSACOLA

NAS Pensacola is approximately 5,800-acres and is located on a peninsula bounded on the east and south by Pensacola Bay and Big Lagoon, and on the north by Bayou Grande.

3.2 SHERMAN FIELD FUEL FARM

The Sherman Field Fuel Farm spill site is located in a remote area of the NAS Pensacola. An equipment malfunction resulted in the release of approximately 48,000 gallons of Jet Propellant (JP-4) fuel in 1983. In response to the spill, the NAS conducted an initial recovery effort in August 1983 by installing a recovery well system approximately 140 feet west of the fuel farm. The system proved unsatisfactory, apparently due to its location, and was discontinued. In 1989, a preliminary Remediation Action Plan (RAP) was prepared and a Pilot Study was conducted. The Study proved inconclusive and was terminated and all remedial activities were abandoned until the tanks were formally closed.

As part of the site visit conducted on January 28, 2000, TiNUS performed a preliminary free-product survey in the existing onsite monitoring wells. The onsite wells were generally unsecured and uncovered. The results of the preliminary survey indicated that free-product was present up to a 1-foot thick depth over an approximately 3-acre area.

4.0 SCOPE OF WORK

The following is a list of activities that are covered in this HASP for the CTO 132 project:

- Mobilization/demobilization
- Soil Boring
 - Direct Push Technology (DPT)
 - Hollow Stem Auger (HSA)
 - Mud Rotary Drilling
- Monitoring well installation
- Multi-media sampling, including:
 - Groundwater
 - Subsurface Soil
 - Investigation Derived Waste (IDW)
- Decontamination
- Surveying
- IDW Management

The above listing represents a summarization of the tasks as they may apply to the scope and application of this HASP. For more detailed description of the associated tasks, refer to the Sampling and Analysis Plan (SAP). Any tasks to be conducted outside of the elements listed here will be considered a change in scope requiring modification of this document. The PHSO or a designated representative will submit all requested modifications to this document to the HSM.

5.0 TASKS/HAZARDS/ASSOCIATED CONTROL MEASURES SUMMARIZATION

Table 5-1 of this section serves as the primary portion of the site-specific HASP which identifies the tasks that are to be performed as part of the scope of work. This table will be modified and incorporated into this document as new or additional tasks are performed at the site. The anticipated hazards, recommended control measures, air monitoring recommendations, required Personal Protective Equipment (PPE), and decontamination measures for each site task are discussed in detail. This table and the associated control measures shall be changed, if the scope of work, contaminants of concern, or other conditions change.

Through using the table, site personnel can determine which hazards are associated with each task and at each site, and what associated control measures are necessary to minimize potential exposure or injuries related to those hazards. The table also assists field team members in determining which PPE and decontamination procedures to use based on proper air monitoring techniques and site-specific conditions.

A Health and Safety Guidance Manual accompanies this table and HASP. The manual is designed to further explain supporting programs and elements for other site-specific aspects as required by 29 CFR 1910.120. The Guidance Manual should be referenced for additional information regarding air monitoring instrumentation, decontamination activities, emergency response, hazard assessments, hazard communication and hearing conservation programs, medical surveillance, PPE, respiratory protection, site control measures, standard work practices, and training requirements. Many of Tetra Tech NUS' SOPs are also provided in this Guidance Manual.

Safe Work Permits issued for all Exclusion Zone activities (See Section 9.4 and Attachment IV) will use elements defined in Table 5-1 as it's primary reference. The FOL and/or the SSO completing the Safe Work Permit will add additional site-specific information. In situations where the Safe Work Permit is more conservative than the direction provided in Table 5-1 due to the incorporation of site-specific elements, the Safe Work Permit will be followed.

This page intentionally left blank.

6.0 HAZARD ASSESSMENT

The following section provides information regarding the chemical, physical, and natural hazards associated with the site to be investigated and the activities that are to be conducted as part of the scope of work. Table 6-1, which is included as part of this HASP, provides various information, exposure limits, symptoms of exposure, physical properties, and air monitoring and sampling data. Section 6.1 provides general information regarding all contaminants that may be present at the site.

6.1 CHEMICAL HAZARDS

The potential health hazards associated with work to be conducted at Sherman Field Fuel Farm at NAS Pensacola include inhalation, ingestion, and dermal contact of various contaminants that may be present in groundwater, surface water, and soil. The following have been identified as the primary classes of these contaminants, including the specific compound(s) of interest:

- Volatile organic compounds (VOCs), including JP-4 (and components benzene, ethylbenzene, toluene, and xylene).

It is anticipated that the greatest potential for exposure to site contaminants is during intrusive activities (soil borings and groundwater sampling). Contaminants may be present as volatiles or bound to particulates. Exposure to contaminants bound to particulates is most likely to occur through ingestion of contaminated soil or water, or hand-to-mouth contact during soil disturbance activities. For this reason, PPE and basic hygiene practices (washing face and hands before leaving site) will be extremely important. Wetting procedures will be initiated if any tasks produce visible dust in workers' breathing zones.

Table 6-1 provides information on the compounds and individual substances identified as the potential site contaminants. Included is information on the toxicological, chemical, and physical properties of these substances. Certain information on this Table (such as glove selection) is based on clinical information regarding pure chemicals. Assessment of hazards and recommended control measures (such as nitrile surgeons gloves) within this HASP, however, are based on the diluted nature of media to be sampled and the limited contact anticipated. The potential for significant contact through any route of exposure is not anticipated during this planned scope of work.

6.2 PHYSICAL HAZARDS

In addition to the chemical hazards discussed above, the following physical hazards may be present during the performance of the site activities.

- Heavy equipment hazards (pinch/compression points, rotating equipment, etc.).
- Slips, trips, and falls
- Lifting (strain/muscle pulls)
- Energized systems (contact with underground or overhead utilities)
- Noise in excess of 85 decibels (dBA)
- Flying projectiles
- Ambient temperature extremes (heat stress)
- Vehicular and foot traffic

These physical hazards are discussed in Table 5-1 as applicable to each site task. Further, many of these hazards are discussed in detail in Section 4.0 of the Health and Safety Guidance Manual.

6.3 NATURAL HAZARDS

Insect/animal bites and stings, poisonous plants, and inclement weather are natural hazards that may be present given the location of activities to be conducted. Given the location of NAS Pensacola, alligators, snakes and fire ants are a particular concern. In general, avoidance of areas of known infestation or habitat will be the preferred exposure control for insects/animals and poisonous plants. Specific discussion on principle hazards of concern follows:

6.3.1 Insect/Animal Bites and Stings

Various insects and animals may be present and should be considered. Alligators are indigenous to Florida and may be present in ponds, swamps, and other wet areas. Alligators are fairly inactive in the winter months when the water temperatures are cool; their metabolism slows down and there is little need for food. The breeding season is mostly during April and May (but may begin as early as mid-February); male and female move around more during this time. Nests are constructed by the female during June and July. Alligators are very protective of their domain during courtship and nesting. **Treat alligators with extreme caution. Never approach an alligator, either on land or in the water.** Alligators can outrun humans for short distances. If sampling involves entering areas where alligators may be present, use an "alligator-watch" as a lookout, use a remote sampling device (such as a sample jar/vial on a long pole), and/or obtain the sample as quickly as possible and immediately leave the area.

Fire ants also present a unique situation when working outdoors in Florida. Their aggressive behavior and their ability to sting repeatedly can pose a unique health threat. The sting injects venom (formic acid) that causes an extreme burning sensation. Pustules form which can become infected if scratched. Allergic

reactions of people sensitive to the venom include dizziness, swelling, shock and in extreme cases unconsciousness and death. People exhibiting such symptoms should see a physician. Fire ants can be identified by their habitat. They build mounds in open sunny areas sometimes supported by a wall or shrub. The mound has no external opening. The size of the mound can range from a few inches across to some which are in excess of two feet or more in height and diameter. When disturbed they defend it by swarming out and over the mound, even running up grass blades and sticks.

Also, areas to be investigated could be prime nesting and/or hiding locations for snakes. Personnel should avoid reaching into areas that are not visibly clear of snakes or insects. Snake chaps will be worn in areas of known or anticipated snake infestation. In the event of a snake bite:

- Wash the area of the bite
- Apply a pressure wrap (starting 2-4 inches above the bite) over the bite area to immobilize the wound.
Keep the victim calm
- If possible, keep the bite area below the level of the heart
- Get immediate medical help

All site personnel who are allergic to stinging insects such as bees, wasps, and hornets must be particularly careful since severe illness and death may result from allergic reactions. As with any medical condition or allergy, information regarding the condition must be listed on the Medical Data Sheet and the FOL and SSO notified.

There are various areas throughout the U.S. where Lyme Disease is endemic. Fortunately, Florida is not one of these areas. Nonetheless, personnel should be aware of the hazards of tick bites and Lyme Disease. The longer a disease carrying tick remains attached to the body, the greater the potential for contracting the disease. Wearing long sleeved shirts and long pants (tucked into boots). As well as performing frequent body checks will prevent long term attachment. Site first aid kits should be equipped with medical forceps and rubbing alcohol to assist in tick removal. For information regarding tick removal procedures, and symptoms of exposure consult Section 4.0 of the Health and Safety Guidance Manual.

An Office of Natural Resources or similar entity on NAS Pensacola should be contacted for further direction on the hazards and precautions of naturally occurring wildlife and insects.

6.3.2 Inclement Weather

Project tasks under this Scope of Work will be performed outdoors and near water. As a result, inclement weather may be encountered. In the event that adverse weather conditions arise (electrical storms,

hurricanes, etc.), the FOL and/or the SSO will be responsible for temporarily suspending or terminating activities until hazardous conditions no longer exist.

7.0 AIR MONITORING

Direct reading instruments will be used at the site to detect and evaluate the presence of site contaminants and other potentially hazardous conditions. As a result, specific air monitoring measures and requirements are established in Table 5-1 pertaining to the specific hazards and tasks of an identified operation. Additionally, the Health and Safety Guidance Manual, Section 1.0, contains detailed information regarding direct reading instrumentation, as well as general calibration procedures of various instruments.

7.1 INSTRUMENT AND USE

A direct reading Instrument will be used primarily to monitor source points and worker breathing zone areas, while observing instrument action levels. Action levels are discussed in Table 5-1 as they may apply to a specific task or location.

7.1.1 Photoionization Detector

In order to accurately monitor for any substances that may present an exposure potential to site personnel, a Photoionization Detector (PID) using a lamp energy of 10.6 eV or higher will be used. This instrument will be used to monitor potential source areas and to screen the breathing zones of employees during site activities. The PID with this lamp strength has been selected because it is capable of detecting the organic vapors of concern.

Prior to the commencement of any field activities, the background levels of the site must be determined and noted. Daily background readings will be taken away from any areas of potential contamination. These readings, any influencing conditions (i.e., weather, temperature, humidity) and site location must be documented in the field operations logbook or other site documentation (e.g., sample log sheet).

7.1.2 Hazard Monitoring Frequency

Table 5-1 presents the frequencies that hazard monitoring will be performed as well as the action levels that will initiate the use of elevated levels of protection. The SSO may decide to increase these frequencies based on instrument responses and site observations. The frequency at which monitoring is performed will not be reduced without the prior consent of the PHSO or HSM.

7.2 INSTRUMENT MAINTENANCE AND CALIBRATION

Hazard monitoring instruments will be maintained and pre-field calibrated by the TtNUS Equipment Manager. Operational checks and field calibration will be performed on all instruments each day prior to and after their use. Field calibration will be performed on instruments according to manufacturer's recommendations (for example, the PID must be field calibrated daily and an additional field calibration must be performed at the end of each day to determine any significant instrument drift). These operational checks and calibration efforts will be performed in a manner that complies with the employees health and safety training, the manufacturer's recommendations, and with the applicable manufacturer standard operating procedure (copies of which can be found in the Health & Safety Guidance Manual which will be maintained on-site for reference). All calibration efforts must be documented. Figure 7-1 is provided for documenting these calibration efforts. This information may instead be recorded in a field operations logbook, provided that all of the information specified in Figure 7-1 is recorded. This required information includes the following:

- Date calibration was performed
- Individual calibrating the instrument
- Instrument name, model, and serial number
- Any relevant instrument settings and resultant readings (before and after) calibration
- Identification of the calibration standard (lot no., source concentration, supplier)
- Any relevant comments or remarks

8.0 TRAINING/MEDICAL SURVEILLANCE REQUIREMENTS

8.1 INTRODUCTORY/REFRESHER/SUPERVISORY TRAINING

This section is included to specify health and safety training and medical surveillance requirements for both TtNUS and subcontractor personnel participating in site activities.

8.1.1 Requirements for TtNUS Personnel

All TtNUS personnel must complete 40 hours of introductory hazardous waste site training prior to performing work at the NAS Pensacola facility. Additionally, TtNUS personnel who have had introductory training more than 12 months prior to site work must have completed 8 hours of refresher training in the past 12 months before being cleared for site work. In addition, 8-hour supervisory training in accordance with 29 CFR 1910.120 (e)(4) will be required for site supervisory personnel.

Documentation of TtNUS introductory, supervisory, and refresher training as well as site-specific training will be maintained at the project. Copies of certificates or other official documentation will be used to fulfill this requirement.

8.1.2 Requirements for Subcontractors

All TtNUS subcontractor personnel must have completed introductory hazardous waste site training or equivalent work experience as defined in OSHA Standard 29 CFR 1910.120 (e). Additionally, personnel who have had the introductory training more than 12 months ago, are required to have 8 hours of refresher training meeting the requirements of 29 CFR 1910.120 (e)(8) prior to performing field work at the NAS Pensacola facility if required. TtNUS subcontractors must certify that each employee has had such training by sending TtNUS a letter, on company letterhead, containing the information in the example letter provided as in Figure 8-1 and by providing copies of certificates for all subcontractor personnel participating in site activities.

**FIGURE 8-1
TRAINING LETTER**

The following statements must be typed on company letterhead and signed by an officer of the company and accompanied by copies of personnel training certificates:

LOGO
XYZ CORPORATION
555 E. 5th Street
Nowheresville, Kansas 55555

Month, day, year

Mr. Gerald Walker, P.G.
Tetra Tech NUS, Inc.
Task Order Manager
1401 Oven Park Road, Suite 102
Tallahassee, Florida, 32308

Subject: HAZWOPER Training for NAS Pensacola, Pensacola, Florida

Dear Mr. Walker:

As an officer of XYZ Corporation, I hereby state that I am aware of the potential hazardous nature of the subject project. I also understand that it is our responsibility to comply with all applicable occupational safety and health regulations, including those stipulated in Title 29 of the Code of Federal Regulations (CFR), Parts 1900 through 1910 and Part 1926.

I also understand that Title 29 CFR 1910.120, entitled "Hazardous Waste Operations and Emergency Response," requires appropriate level of training for certain employees engaged in hazardous waste operations. In this regard, I hereby state that the following employees have had 40 hours of introductory hazardous waste site training or equivalent work experience as requested by 29 CFR 1910.120(e) and have had 8 hour of refresher training as applicable and as required by 29 CFR 1910.120(e)(8) and that site supervisory personnel have had training in accordance with 29 CFR 1910.120(e)(4).

LIST FULL NAMES OF EMPLOYEES AND THEIR SOCIAL SECURITY NUMBERS HERE.

Should you have any questions, please contact me at (555) 555-5555

Sincerely,

(Name and Title of Company Officer)

Enclosed: Training Certificates

8.2 SITE-SPECIFIC TRAINING

TtNUS will provide site-specific training to all TtNUS employees and subcontractor personnel who will perform work on this project. Site-specific training will also be provided to all personnel (U.S. Department of Defense, EPA, etc.) who may enter the site to perform functions that may or may not be directly related to site operations. Site-Specific training will include:

- Names of designated personnel and alternates responsible for site safety and health
- Safety, health, and other hazards present on site
- Use of personal protective equipment
- Safe use of engineering controls and equipment
- Medical surveillance requirements
- Signs and symptoms of overexposure
- Contents of the Health and Safety Plan
- Use and application of Safe Work Permits
- Emergency action procedures (evacuation and assembly points)
- Incipient response procedures
- Review of the contents of relevant Material Safety Data Sheets
- Review of Hearing Conservation Standard (29 CFR 1910.95)
- Injury and Illness Reporting
- Hazard Communication Program
- Employees Rights, Roles and Responsibilities
- US DOT shipping requirements

Site-specific documentation will be established through the use of Figure 8-2. All site personnel and visitors must sign this document upon receiving site-specific training.

8.3 MEDICAL SURVEILLANCE

8.3.1 Medical Surveillance Requirements for TtNUS Personnel

All TtNUS personnel participating in project field activities will have had a physical examination meeting the requirements of TtNUS's medical surveillance program and will be medically qualified to perform hazardous waste site work using respiratory protection.

Documentation for medical clearances will be maintained in the TtNUS Tallahassee office and made available, as necessary.

8.3.2 Medical Surveillance Requirements for Subcontractors

Subcontractors are required to obtain a certificate of their ability to perform hazardous waste site work and to wear respiratory protection. The "Subcontractor Medical Approval Form" provided in Figure 8-3 shall be used to satisfy this requirement, providing it is properly completed and signed by a licensed physician.

Subcontractors who have a company medical surveillance program meeting the requirements of paragraph (f) of OSHA 29 CFR 1910.120 can substitute "Subcontractor Medical Approval Form" (See Figure 8-3) with a letter, on company letterhead, containing all of the information in the example letter presented in Figure 8-4 of this HASP.

8.3.3 Requirements for All Field Personnel

Each field team member (including subcontractors) and visitors entering the exclusion zone(s) shall be required to complete and submit a copy of Medical Data Sheet found in the TtNUS Health and Safety Guidance Manual. This shall be provided to the SSO, prior to participating in site activities. The purpose of this document is to provide site personnel and emergency responders with additional information that may be necessary in order to administer medical attention.

8.4 SUBCONTRACTOR EXCEPTIONS

Subcontractors who will not enter the exclusion zone during intrusive operations, and whose activities involve no potential for exposure to site contaminants, will not be required to meet the requirements for training/medical surveillance other than those stated for site-specific training (See Section 8.2).

FIGURE 8-3

SUBCONTRACTOR MEDICAL APPROVAL FORM

For employees of _____
Company Name

Participant Name: _____ Date of Exam: _____

Part A

The above-named individual has:

1. Undergone a physical examination in accordance with OSHA Standard 29 CFR 1910.120, paragraph (f) and found to be medically -

- qualified to perform work at the NAS Pensacola, work site
- not qualified to perform work at the NAS Pensacola, work site

and,

2. Undergone a physical examination as per OSHA 29 CFR 1910.134(b)(10) and found to be medically -

- qualified to wear respiratory protection
- not qualified to wear respiratory protection

My evaluation has been based on the following information, as provided to me by the employer.

- A copy of OSHA Standard 29 CFR 1910.120 and appendices.
- A description of the employee's duties as they relate to the employee's exposures.
- A list of known/suspected contaminants and their concentrations (if known).
- A description of any personal protective equipment used or to be used.
- Information from previous medical examinations of the employee which is not readily available to the examining physician.

Part B

I, _____, have examined _____
Physician's Name (print) Participant's Name (print)
and have determined the following information:

**FIGURE 8-3
SUBCONTRACTOR MEDICAL APPROVAL FORM
PAGE TWO**

1. Results of the medical examination and tests (excluding finding or diagnoses unrelated to occupational exposure):

2. Any detected medical conditions which would place the employee at increased risk of material impairment of the employee's health:

3. Recommended limitations upon the employee's assigned work:

I have informed this participant of the results of this medical examination and any medical conditions which require further examination or treatment.

Based on the information provided to me, and in view of the activities and hazard potentials involved at the NAS Pensacola work site, this participant

- may
 may not

perform his/her assigned task.

Physician's Signature _____

Address _____

Phone Number _____

NOTE: Copies of test results are maintained and available at:

Address

FIGURE 8-4
MEDICAL SURVEILLANCE LETTER

The following statements must be typed on company letterhead and signed by an officer of the company:

LOGO
XYZ CORPORATION
555 E. 5th Street
Nowheresville, Kansas 55555

Month, day, year

Mr. Gerald Walker P.G.
Tetra Tech NUS, Inc.
Task Order Manager
1401 Oven Park Drive Suite 102
Tallahassee, Florida, 32308

Subject: Medical Surveillance for NAS Pensacola, Pensacola, Florida

Dear Mr. Walker:

As an officer of XYZ Corporation, I hereby state that the persons listed below participate in a medical surveillance program meeting the requirements contained in paragraph (f) of Title 29 of the Code of Federal Regulations (CFR) Part 1910.120, entitled "Hazardous Waste Operations and Emergency Response. I further state that the persons listed below have had physical examinations under this program within the past 12 months and that they have been cleared, by a license physician, to perform hazardous waste site work and to wear positive- and negative-pressure respiratory protection. I also state that, to my knowledge, no person listed below has any medical restriction that would preclude him/her from working at the NAS Pensacola facility.

LIST OF FULL NAMES OF EMPLOYEES AND THEIR SOCIAL SECURITY NUMBERS HERE.

Should you have any questions, please contact me at (555) 555-5555

Sincerely,

(Name and Title of Company Officer)

9.0 SITE CONTROL

This section outlines the means by which TtNUS will delineate work zones and use these work zones in conjunction with decontamination procedures to prevent the spread of contaminants into previously unaffected areas of the site. It is anticipated that a three-zone approach will be used during work at this site: Exclusion Zone, Contamination Reduction Zone, and Support Zone. It is also anticipated that this control measure will be used to control access to site work areas. Use of such controls will restrict the general public, minimize potentials for the spread of contaminants and to protect individuals who are not cleared to enter the work areas.

9.1 EXCLUSION ZONE

The Exclusion Zone will be considered those areas of the site of known or suspected contamination. The Exclusion Zone for groundwater sampling is considered to be 5 ft. surrounding the point of sample acquisition. For drilling operations the area should be the length of the mast plus five feet or twenty five feet which ever is greater. When decontamination operations are in progress the area should be 35 feet surrounding the point of operation.

9.2 CONTAMINATION REDUCTION ZONE

The Contamination Reduction Zone (CRZ) will be a buffer area between the Exclusion Zone and any area of the site where contamination is not suspected. This area will also serve as a focal point in supporting Exclusion Zone activities. This area may be delineated using barrier tape, cones, and postings to inform and direct facility personnel. Decontamination will be conducted at a central location. All equipment potentially contaminated will be bagged and taken to that location for decontamination.

9.3 SUPPORT ZONE

The Support Zone for this project will include a staging area where site vehicles will be parked, equipment will be unloaded, and where food and drink containers will be maintained. In all cases, the Support Zones will be established at areas of the site where exposure to site contaminants would not be expected during normal working conditions or foreseeable emergencies.

9.4 SAFE WORK PERMITS

All Exclusion Zone work conducted in support of this project will be performed using Safe Work Permits to guide and direct field crews on a task by task basis. An example of the Safe Work Permit to be used is

illustrated in Figure 9-1. A partially completed Permit for the work to be performed is included in Attachment IV. The daily meetings conducted at the site will further support these work permits. This effort will ensure all site-specific considerations and changing conditions are incorporated into the planning effort. All permits will require the signature of the FOL and/or the SSO.

Use of these permits will provide the communication line for reviewing protective measures and hazards associated with each operation. This HASP will be used as the primary reference for selecting levels of protection and control measures. The work permit will take precedence over the HASP when more conservative measures are required based on specific site conditions.

All permits will be turned into the FOL and/or the SSO upon reaching their termination period or upon completion of the task for which the permit was issued.

**FIGURE 9-1
SAFE WORK PERMIT**

Permit No. _____ Date: _____ Time: From _____ to _____

SECTION I: General Job Scope (To be filled in by person performing work)

I. Work limited to the following (description, area, equipment used): _____

II. Names: _____

III. Onsite Inspection conducted Yes No Initials of Inspector _____

TtNUS NAS Pensacola

SECTION II: General Safety Requirements (To be filled in by permit issuer)

IV. Protective equipment required	Respiratory equipment required	
Level D <input type="checkbox"/> Level B <input type="checkbox"/>	Full face APR <input type="checkbox"/>	Escape Pack <input type="checkbox"/>
Level C <input type="checkbox"/> Level A <input type="checkbox"/>	Half face APR <input type="checkbox"/>	SCBA <input type="checkbox"/>
Detailed on Reverse	SKA-PAC SAR <input type="checkbox"/>	Bottle Trailer <input type="checkbox"/>
	Skid Rig <input type="checkbox"/>	None <input type="checkbox"/>

Modifications/Exceptions: _____

V. Chemicals of Concern	Action Level(s)	Response Measures
_____	_____	_____
_____	_____	_____

VI. Additional Safety Equipment/Procedures		
Hardhat..... <input type="checkbox"/> Yes <input type="checkbox"/> No	Hearing Protection (Plugs/Muffs) <input type="checkbox"/> Yes <input type="checkbox"/> No	
Safety Glasses <input type="checkbox"/> Yes <input type="checkbox"/> No	Safety belt/harness <input type="checkbox"/> Yes <input type="checkbox"/> No	
Chemical/splash goggles <input type="checkbox"/> Yes <input type="checkbox"/> No	Radio <input type="checkbox"/> Yes <input type="checkbox"/> No	
Splash Shield..... <input type="checkbox"/> Yes <input type="checkbox"/> No	Barricades <input type="checkbox"/> Yes <input type="checkbox"/> No	
Splash suits/coveralls <input type="checkbox"/> Yes <input type="checkbox"/> No	Gloves (Type) <input type="checkbox"/> Yes <input type="checkbox"/> No	
Steel toe/shank Workboots... <input type="checkbox"/> Yes <input type="checkbox"/> No	Work/rest regimen <input type="checkbox"/> Yes <input type="checkbox"/> No	

Modifications/Exceptions: _____

VII. Procedure review with permit acceptors	Yes	NA	Yes	NA
Safety shower/eyewash (Location & Use)..... <input type="checkbox"/>	<input type="checkbox"/>		Emergency alarms..... <input type="checkbox"/>	<input type="checkbox"/>
Procedure for safe job completion..... <input type="checkbox"/>	<input type="checkbox"/>		Evacuation routes..... <input type="checkbox"/>	<input type="checkbox"/>
Contractor tools/equipment inspected..... <input type="checkbox"/>	<input type="checkbox"/>		Assembly points..... <input type="checkbox"/>	<input type="checkbox"/>

VIII. Equipment Preparation	Yes	NA
Equipment drained/depressured..... <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Equipment purged/cleaned..... <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Isolation checklist completed..... <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical lockout required/field switch tested..... <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Blinds/misalignments/blocks & bleeds in place..... <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hazardous materials on walls/behind liners considered..... <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

IX. Additional Permits required (Hot work, confined space entry, excavation etc.)..... Yes No

If yes, fill out appropriate section(s) on safety work permit addendum

X. Special instructions, precautions: _____

Permit Issued by: _____ Permit Accepted by: _____
 Job Completed by: _____ Date: _____

9.5 SITE VISITORS

Site visitors for the purpose of this document are identified as representing the following groups of individuals:

- Personnel invited to observe or participate in operations by TtNUS
- Regulatory personnel (DOD, OSHA, etc.)
- Southern Division Navy Personnel
- Other authorized visitors

It is not anticipated that this operation will result in a large number of site visitors. However, as some visitors can reasonably be expected, the following requirements will be enforced:

- All site visitors will be routed to the FOL, who will sign them in to the field logbook. Information to be recorded in the logbook will include the individual's name (proper identification required), who they represent, and purpose for the visit.
- All site visitors will be required to produce the necessary information supporting clearance onto the site. This includes information attesting to applicable training (40-hours of HAZWOPER training required for all Southern Division Navy personnel) and medical surveillance, as stipulated in Section 8 of this document. In addition, to enter the site's operational zones during planned activities, all visitors will be required to first go through site-specific training covering the topics stipulated in Section 8.2 of this document.

NOTE: All site visitors will be escorted at all times while at the site.

Following this, the site visitor will be permitted to enter the site and applicable operational areas. All visitors are required to observe the protective equipment and site restrictions in effect at the area of their visit. Any and all visitors not meeting the requirements as stipulated in this plan for site clearance will not be permitted to enter the site operational zones during planned activities. Any incidence of unauthorized site visitation will cause all onsite activities to be terminated until that visitor can be removed. Removal of unauthorized visitors will be accomplished with support from the Base Contact, if necessary. At a minimum, the Navy On-site Representative will be notified of any unauthorized visitors.

9.6 SITE SECURITY

Site security will be accomplished using TtNUS field personnel. TtNUS will retain complete control over active operational areas. As this activity takes place at a U.S. Navy facility open to public access, and along public highways, the first line of security will take place using traffic permit restrictions, Exclusion Zone barriers, and any existing barriers at the site to restrict the general public. The second line of security will take place at the work site referring interested parties to the FOL or designee. The FOL will serve as a focal point for all non-project interested parties, and serve as the final line of security and the primary enforcement contact.

9.7 SITE MAP

Once the areas of contamination, access routes, topography, and dispersion routes are determined, a site map will be generated and adjusted as site conditions change. When possible, these maps will be posted to illustrate up-to-date collection of contaminants and adjustment of zones and access points.

9.8 BUDDY SYSTEM

Personnel engaged in on-site activities will apply the practice of the "buddy system" as applicable to ensure the safety of all personnel involved in this operation.

9.9 MATERIAL SAFETY DATA SHEET (MSDS) REQUIREMENTS

TtNUS and subcontractor personnel will provide MSDSs for all chemicals brought on-site. The contents of these documents will be reviewed by the SSO with the user(s) of the chemical substances prior to any actual use or application of the substances on-site. A chemical inventory of all chemicals used at the site will be developed using the Health and Safety Guidance Manual. The MSDSs will then be maintained in a central location (i.e., temporary office) and will be available for anyone to review upon request.

9.10 COMMUNICATION

As personnel will be working in proximity to one another during field activities, a supported means of communication between field crews members will not be necessary. External communication will be accomplished by using the telephones at predetermined and approved locations. External communication will primarily be used for the purpose of resource and emergency resource communications. Prior to the commencement of activities, the FOL will determine and arrange for telephone communications.

10.0 SPILL CONTAINMENT PROGRAM

10.1 SCOPE AND APPLICATION

It is not anticipated that bulk hazardous materials (over 55-gallons) will be handled at any given time as part of this scope of work. It is also not anticipated that such spillage would constitute a danger to human health or the environment. However, as the job progresses, the potential may exist for accumulating Investigative Derived Wastes (IDW) such as decontamination fluids, soil cuttings, and purge and well development waters, in a central staging area. Once these fluids and other materials have been characterized, they can be removed from this area and properly disposed.

10.2 POTENTIAL SPILL AREAS

Potential spill areas will be periodically monitored in an ongoing attempt to prevent and control further potential contamination of the environment. Currently, limited areas are vulnerable to this hazard including:

- Resource deployment
- Waste transfer
- Central staging

It is anticipated that all IDW generated as a result of this scope of work will be containerized, labeled, and staged to await further analyses. The results of these analyses will determine the method of disposal.

10.3 LEAK AND SPILL DETECTION

To establish an early detection of potential spills or leaks, a periodic walk-around by the personnel staging or disposing of drums or in the Resource Deployment area will be conducted during working hours to visually determine that storage vessels are not leaking. If a leak is detected, the contents will be transferred, using a hand pump, into a new vessel. The leak will be collected and contained using absorbents such as Oil-Dry, vermiculite, or sand, which are stored at the vulnerable areas in a conspicuously marked drum. This used material, too, will be containerized for disposal pending analysis. All inspections will be documented in the project logbook.

10.4 PERSONNEL TRAINING AND SPILL PREVENTION

All personnel will be instructed in the procedures for initial spill prevention, containment, and collection of hazardous materials in the site-specific training. The FOL and the SSO will serve as the Spill Response Coordinators for this operation, should the need arise.

10.5 SPILL PREVENTION AND CONTAINMENT EQUIPMENT

The following represents the minimum equipment that may be maintained (depending on anticipated need) at the staging areas at all times for the purpose of supporting this Spill Prevention/Containment Program.

- Sand, clean fill, vermiculite, or other non combustible absorbent (Oil-dry)
- Drums (55-gallon U.N 1A2)
- Shovels, rakes, and brooms
- Container labels

10.6 SPILL CONTROL PLAN

This section describes the procedures the TtNUS field crew members will employ upon the detection of a spill or leak.

1. Notify the SSO or FOL immediately upon detection of a leak or spill. Activate emergency alerting procedures for that area to remove all non-essential personnel.
2. Employ the personal protective equipment stored at the staging area. Take immediate actions to stop the leak or spill by plugging or patching the container or raising the leak to the highest point in the vessel. Spread the absorbent material in the area of the spill, covering it completely.
3. Transfer the material to a new vessel; collect and containerize the absorbent material. Label the new container appropriately. Await analyses for treatment and disposal options.
4. Recontainerize spills, including 2-inch of top cover impacted by the spill. Await test results for treatment or disposal options.

It is not anticipated that a spill will occur that the field crew cannot handle. Should this occur, notification of the appropriate Emergency Response agencies will be carried out by the FOL or SSO in accordance with the procedures discussed in Section 2.0 of this HASP.

11.0 CONFINED-SPACE ENTRY

It is not anticipated, under the proposed scope of work, that confined space and permit-required confined space activities will be conducted. Therefore, personnel under the provisions of this HASP are not allowed, under any circumstances, to enter any confined spaces. A confined space is defined as an area which has one or more of the following characteristics:

- Is large enough and so configured that an employee can bodily enter and perform assigned work.
- Has limited or restricted means for entry or exit (for example, tanks, vessels, silos, storage bins, hoppers, vaults, and pits are spaces that may have limited means of entry).
- Is not designed for continuous employee occupancy.

A Permit-Required Confined Space is one that:

- Contains or has a potential to contain a hazardous atmosphere.
- Contains a material that has the potential to engulf an entrant.
- Has an internal configuration such that an entrant could be trapped or asphyxiated by inwardly converging walls or by a floor which slopes downward and tapers to a smaller cross-section.
- Contains any other recognized, serious, safety or health hazard.

For further information on confined space, consult the Health and Safety Guidance Manual or call the PHSO. If confined space operations are to be performed as part of the scope of work, detailed procedures and training requirements will have to be addressed.

12.0 MATERIALS AND DOCUMENTATION

The TtNUS FOL shall ensure the following materials/documents are taken to the project site and used when required.

- A complete copy of this HASP
- Health and Safety Guidance Manual
- Incident Reports
- Medical Data Sheets
- Material Safety Data Sheets for all chemicals brought on-site, including decon solution, fuels, sample preservations, calibration gases, etc.
- A full size OSHA Job Safety and Health Poster
- Training/Medical Surveillance Documentation Form (blank)
- Emergency Reference Form (Section 2.0, extra copy for posting)

12.1 MATERIALS TO BE POSTED OR MAINTAINED AT THE SITE

The following documentation is to be posted or maintained at the site for quick reference purposes. In situations where posting these documents is not feasible, (such as no office trailer), these documents should be separated and immediately accessible.

Chemical Inventory Listing (posted) - This list represents all chemicals brought on-site, including decontamination solutions, sample preservations, fuel, etc.. This list should be posted in a central area.

Material Safety Data Sheets (MSDS) (maintained) - The MSDSs should also be in a central area accessible to all site personnel. These documents should match all the listings on the chemical inventory list for all substances employed on-site. It is acceptable to have these documents within a central folder and the chemical inventory as the table of contents.

The OSHA Job Safety & Health Protection Poster (posted) - this poster, as directed by 29 CFR 1903.2 (a)(1), should be conspicuously posted in places where notices to employees are normally posted. Each FOL shall ensure that this poster is not defaced, altered, or covered by other material.

Site Clearance (maintained) - This list is found within the training section of the HASP (See Figure 8-1). This list identifies all site personnel, dates of training (including site-specific training), and medical surveillance. The lists indicates not only clearance but also status. If personnel do not meet these requirements, they do not enter the site while personnel are engaged in activities.

Emergency Phone Numbers and Directions to the Hospital(s) (posted) - This list of numbers and directions will be maintained at all phone communications points and in each site vehicle.

Medical Data Sheets/Cards (maintained) - Medical Data Sheets will be filled out by on-site personnel and filed in a central location. The Medical Data Sheet will accompany any injury or illness requiring medical attention to the medical facility. a copy of this sheet or a wallet card will be given to all personnel to be carried on their person.

Hearing Conservation Standard (29 CFR 1910.95) (posted) - this standard will be posted anytime hearing protection or other noise abatement procedures are employed.

Personnel Monitoring (maintained) - All results generated through personnel sampling (levels of airborne toxins, noise levels, etc.) will be posted to inform individuals of the results of that effort.

Placards and Labels (maintained) - Where chemical inventories have been separated because of quantities and incompatibilities, these areas will be conspicuously marked using DOT placards and acceptable (Hazard Communication 29 CFR 1910.1200(f)) labels.

The purpose, as stated above, is to allow site personnel quick access to this information. Variations concerning location and methods of presentation are acceptable, providing the objection is accomplished.

13.0 GLOSSARY

ACGIH	American Conference of Governmental Industrial Hygienists
APR	Air Purifying Respirator
CFR	Code of Federal Regulations
CIH	Certified Industrial Hygienist
CLEAN	Comprehensive Long-term Environmental Action - Navy
CNS	Central Nervous System
CSP	Certified Safety Professional
CTO	Contract Task Order
CRZ	Contamination Reduction Zone
dBA	Decibels
DOD	United States Department of Defense
DPT	Direct Push Technology
eV	electron Volts
FID	Flame Ionization Detector
FOL	Field Operations Leader
HASP	Health and Safety Plan
HAZWOPER	Hazardous Waste Operations and Emergency Response
HSA	Hollow Stem Auger
HSM	Health and Safety Manager
I P	Ionization Potential
IDW	Investigative-Derived Wastes
JP	Jet Propellant
LEL/LFL	Lower Explosive Limit / Lower Flammable Limit
MSDS	Material Safety Data Sheets
N/A	Not Available
NAS	Naval Air Station
NAVFAC	Naval Facilities Engineering Command
NIOSH	National Institute for Occupational Safety and Health
OSHA	Occupational Safety and Health Administration (U.S. Department of Labor)
PEL	Permissible Exposure Limit
PG	Professional Geologist.
PHSO	Project Health and Safety Officer
PID	Photoionization Detector

PPE	Personal Protective Equipment
SAP	Sampling and Analyses Plan
SOPs	Standard Operating Procedures
SSO	Site Safety Officer
STEL	Short Term Exposure Limit
TBD	To be determined
TLV	Threshold Limit Value
TOM	Task Order Manager
TtNUS	Tetra Tech NUS, Inc.
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile Organic Compound