

N00204.AR.005450
NAS PENSACOLA
5090.3a

LETTER REGARDING THE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
REVIEW AND CONCURRENCE OF THE EXPLANATION OF SIGNIFICANT DIFFERENCES
FOR OPERABLE UNIT (OU) 4 SITE 15 NAS PENSACOLA FL
4/12/2016
FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Jonathan P. Steverson
Secretary

April 12, 2016

Ms. Patty Marajh-Whittemore
Remedial Project Manager
ITP Gulf Coast
Naval Facilities Engineering Command Southeast
Attn: AJAX Street, Building 135N
P.O. Box 30A
Jacksonville, FL 32212-0030

Dear Ms. Marajh-Whittemore:

The Florida Department of Environmental Protection has reviewed the Explanation of Significant Differences for Operable Unit 4, Site 15, Naval Air Station Pensacola, signed by Captain Keith W. Hoskins, Commanding Officer, Naval Air Station Pensacola. The Department concurs with the Navy's decision to modify the selected remedy as set forth in the Explanation of Significant Differences. The Explanation of Significant Differences changes the cleanup goal for arsenic in groundwater from 50 µg/L to 10 µg/L, adds the remedial action objective of restoring site groundwater to beneficial use as a potential drinking water source within a reasonable timeframe, and requires the issuance of a Land Use Control Remedial Design that will supersede the existing 1999 Land Use Control Assurance Plan Memorandum of Agreement and Land Use Control Implementation Plan for Operable Unit 4, Site 15.

If you have any questions concerning this letter of concurrence, please contact Mr. David P. Grabka, our NAS Pensacola Remedial Project Manager, at (850) 245-8997.

Sincerely,

A handwritten signature in blue ink, appearing to read "Peter Cornais".

Peter Cornais, Program Administrator
Waste Cleanup Program

DOD_11_1833