

N60234.AR.000050  
NAS SAUFLEY FIELD  
5090.3a

TRANSMITTAL LETTER FOR FINAL SITE RECOMMENDATIONS AND PRIORITIZATION  
PROTOCOLS AND REMEDIAL ACTION COST ENGINEERING AND REQUIREMENTS  
(RACER) COST ANALYSIS REPORTS SKEET RANGE AND BOMB TARGETS NAS  
SAUFLEY FIELD FL  
8/31/2009  
MALCOLM PIRNIE, INC.

SFC26

**MALCOLM  
PIRNIE**

**Malcolm Pirnie, Inc.**  
1300 East 8<sup>th</sup> Ave, Suite F100  
Tampa, Florida 33605  
T: 813.248.6900 F: 813.248.8085

[www.pirnie.com](http://www.pirnie.com)

31 August 2009

Mr. Greg Fraley  
United States Environmental Protection Agency  
Atlanta Federal Center  
61 Forsyth Street, SW  
Atlanta, Georgia 30303-8960

Ms. Tracie Bolanos  
Florida Department of Environmental Protection  
Technical Review Section  
MS 4535  
2600 Blair Stone Road  
Tallahassee, Florida 32399-2400

Re: Final Site Recommendations and Prioritization Protocol  
Saufley Field – Naval Air Station Pensacola, Pensacola, Florida  
Navy Preliminary Assessment of an Additional Area of Concern

Dear Mr. Fraley and Ms. Bolanos:

On behalf of the Navy and at the request of Mr. John Schoolfield (Naval Facilities Engineering Command, Southeast), we have enclosed one copy of the Final Site Recommendations and Prioritization Protocol for the following Areas of Concern (AOCs) at Saufley Field – Naval Air Station Pensacola, Pensacola, Florida:

- Saufley Field Skeet Range
- Saufley Field Bomb Targets

The site recommendations and prioritization protocol were prepared using data presented in the August 2009 Final Preliminary Assessment (PA) Report prepared for Naval Facilities Engineering Command, Southeast by Malcolm Pirnie, Inc.

Recommendations for the site are provided as Enclosure 1. The recommendations are based on the data presented in the Final PA following the Comprehensive Environmental Response, Compensation, and Liability Act and Munitions Response Program guidance, where applicable.

The prioritization protocol [Munitions Response Site Prioritization Protocol (MRSPP) tables] for the site is provided as Enclosure 2. The site prioritization analysis is based on the latest version of the MRSPP guidance issued by the Department of Defense.





Mr. Greg Fraley, USEPA  
 Ms. Tracie Bolanos, FDEP  
 31 August 2009  
 Page 2 of 2

The site recommendations and prioritization protocol scoring are summarized in Table 1 below.

**Table 1: Saufley Field Summary**  
 (Recommendations and Prioritization)

	Saufley Field Skeet Range		Saufley Field Bomb Targets	
<b>Recommendations</b> NFA = No Further Action SI = Site Inspection RI = Remedial Investigation RA = Remedial Action ER = Emergency Response	MEC NFA	MC SI RA	MEC SI RI	MC SI
<b>Prioritization</b> Score of 2 = Highest Priority Score of 8 = Lowest Priority	8		6	

We appreciate your time, assistance, and input on this project. Please feel free to contact John Schoolfield or me [(813) 242-7208 or e-mail at dnavon@pirnie.com] with any questions you may have regarding this document.

Very truly yours,

MALCOLM PIRNIE, INC.

Daria Navon, P.E.  
 Project Manager

cc: Mr. John Schoolfield, SOUTHNAVFACENGCOM  
 Mr. Greg Campbell, NAS Pensacola  
 0474155

