



M60050.002882
MCAS EL TORO
SSIC NO. 5090.3

DEPARTMENT OF THE NAVY
NAVAL SEA SYSTEMS COMMAND DETACHMENT
RADIOLOGICAL AFFAIRS SUPPORT OFFICE (RASO)
NWS P.O. DRAWER 260
YORKTOWN, VA 23691-0260

80 A

5104/60050
Ser 02H/295
30 May 2001

From: Officer in Charge, Naval Sea Systems Command Detachment,
Radiological Affairs Support Office (RASO)
To: Commander, U.S. Army Operations Support Command
(AMSOS-SF) (ATTN: Mr. Dave Horton)
Subj: REVIEW OF THE FINAL RADIOLOGICAL SURVEY REPORT
FOR BUILDINGS B-360 AND B-319 AT MARINE CORP AIR
STATION (MCAS) EL TORO, PROJECT NUMBER USN 2000-038
Ref: (a) Final Radiological Survey Report El Toro Marine Base
Buildings B-360 and B-319, May 2001, Revision 5

1. NAVSEADET RASO has reviewed reference (a) and recommends its approval.
2. NAVSEADET RASO concurs with the conclusions in reference (a) that there is no evidence that either building contains any radiological contamination. All of the data gathered is well within the statistical variation for natural background radiation.
3. NAVSEADET RASO point of contact is Pat Haworth at DSN 953-4692, commercial (757) 887-4692 or commercial fax (757) 887-3235.


S. W. DOREMUS

Copy to:
NAVFACENGCOM EFD SWDIV