

DEPARTMENT OF HEALTH SERVICES  
TOXIC SUBSTANCES CONTROL PROGRAM700 HEINZ AVE., BLDG. F, STE. 200  
OAKLAND, CA 94710

(415) 540-3724



November 29, 1990

Commanding Officer  
Naval Station Treasure Island  
Attn.: Mr. Eddie Sarmiento  
Building I (Code 70)  
San Francisco, CA 94130-5000

Dear Mr. Sarmiento:

**DHS COMMENTS ON THE DRAFT BENCHSCALE TREATABILITY TEST PLAN FOR  
RECYCLING HUNTERS POINT SANDBLASTING GRIT - HUNTERS POINT ANNEX**

The Department of Health Services, Region 2, has reviewed the above referenced workplan and has the following comments:

- 1) The workplan does not contain a Quality Assurance (QA) section. If the Navy intends to use data generated by this workplan with existing data, the QA program used for previous work should be added to the workplan.
- 2) If the Benchscale testing indicates that the sandblast grit can be used in the asphalt process, will a pilot study be conducted (500-800 cubic yards), with testing, to further verify that the process works in large scale operation?

If you have any questions regarding the Hunters Point Annex, please contact me at (415) 540-3816.

Sincerely,

Handwritten signature of Mark Malinowski in cursive.

Mark Malinowski  
Engineering Geologist  
Region 2

Toxic Substances Control Program

cc: See next page

PAGE 2  
C.C MAILING LIST

COMMENTS ON BENCHSCALE TEST PLAN FOR  
RECYCLING SANDBLAST AND GRIT

THE ABOVE IDENTIFIED PAGE IS NOT  
AVAILABLE.

EXTENSIVE RESEARCH WAS PERFORMED BY  
SOUTHWEST DIVISION TO LOCATE THIS PAGE.  
THIS PAGE HAS BEEN INSERTED AS A  
PLACEHOLDER AND WILL BE REPLACED  
SHOULD THE MISSING ITEM BE LOCATED.

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA**  
**RECORDS MANAGEMENT SPECIALIST**  
**SOUTHWEST DIVISION**  
**NAVAL FACILITIES ENGINEERING COMMAND**  
**1220 PACIFIC HIGHWAY**  
**SAN DIEGO, CA 92132**

**TELEPHONE: (619) 532-3676**