



DEPARTMENT OF THE NAVY

PEARL HARBOR NAVAL SHIPYARD &  
INTERMEDIATE MAINTENANCE FACILITY  
401 AVENUE E SUITE 124  
PEARL HARBOR HAWAII 96860-5350

N00217.000130  
HUNTERS POINT  
SSIC NO. 5090.3

IN REPLY REFER TO:

5757  
Ser 105/003

JAN 14 1999

From: Commander, Pearl Harbor Naval Shipyard and Intermediate Maintenance Facility  
To: U.S. Environmental Protection Agency, Region IX  
(Attn. Claire Trombadore)  
California Department of Toxic Substances Control, Region 2  
(Attn. Valerie Heusinkveld)  
Subj: SUBMITTAL OF HUNTERS POINT ANNEX HISTORICAL RADIOLOGICAL ASSESSMENT (HRA), VOLUME I, DRAFT  
Encl: (1) Historical Radiological Assessment Naval Air Station Alameda, Draft, Volume I

1. Naval shipyards that perform work on nuclear-powered warships are preparing Historical Radiological Assessments (HRAs) for their own facilities and for other Naval bases pursuant to the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and the Superfund Amendments and Reauthorization Act of 1986 (SARA). Pearl Harbor Naval Shipyard has prepared a draft HRA for Hunters Point Annex (HPA).

2. The HRA follows the format of Preliminary Assessments (PAs) under CERCLA and can be used to satisfy the requirements for PAs where radioactivity would be a concern. Volume I of the Draft HRA is submitted here as enclosure (1) and assesses the impact of radiological operations associated with the Naval Nuclear Propulsion Program (NNPP) at HPA. The HRA Volume I contains extensive information regarding historical NNPP requirements and practices for controlling radioactivity, together with environmental monitoring data and a detailed description of the shipyard. Volume II of the Draft HRA is expected to be issued later in 1999, and will address general radioactive material (G-RAM; non-NNPP applications).

3. Contained within the Draft HRA is a reproduction of a portion of spliced U.S. Geological Survey 7.5 minute quadrangle maps showing the site. Original spliced and marked quadrangle maps will be provided with the final report. If you are missing any of the HRA's references and would like a copy, please let us know.

4. To expedite finalization of the HRA, we respectfully request your review of this document within 60 days. Please forward any comments to:

COMMANDER (CODE 105.5)  
PEARL HARBOR NSY & IMF  
401 AVENUE E SUITE 124  
PEARL HARBOR HI 96860-5350

Subj: SUBMITTAL OF HUNTERS POINT ANNEX HISTORICAL RADIOLOGICAL  
ASSESSMENT (HRA), VOLUME I, DRAFT

5. Should you have any questions, please contact LCDR R. K. Fong,  
MSC, USN at (808) 471-3945; FAX (808) 471-3946.

  
G. CROWELL  
By direction

Copy to:  
California Department of Health Services, Environmental  
Management Branch (Dierdre Dement)  
San Francisco Bay Regional Water Quality Control Board  
(Richard K. McMurtry)  
Engineering Field Activity West (Luann R. Tetirick)

ENCLOSURE (1)

DRAFT HISTORICAL RADIOLOGICAL  
ASSESSMENT, VOLUME I

THE ABOVE IDENTIFIED ENCLOSURE IS NOT  
AVAILABLE.

EXTENSIVE RESEARCH WAS PERFORMED BY  
SOUTHWEST DIVISION TO LOCATE THIS  
ENCLOSURE. THIS PAGE HAS BEEN INSERTED AS  
A PLACEHOLDER AND WILL BE REPLACED  
SHOULD THE MISSING ITEM BE LOCATED.

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA**  
**RECORDS MANAGEMENT SPECIALIST**  
**SOUTHWEST DIVISION**  
**NAVAL FACILITIES ENGINEERING COMMAND**  
**1220 PACIFIC HIGHWAY**  
**SAN DIEGO, CA 92132**

**TELEPHONE: (619) 532-3676**