

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
S ANGELES REGION

CENTRE PLAZA DRIVE
MONTEREY PARK, CA 91754-2156
(213) 266-7500
FAX (213) 266-7600




March 03, 1997

Mr. Gary Simon
Southwest Division
Naval Facilities Engineering Command
Code 1832.SR
1220 Pacific Highway
San Diego, CA 92132-5183

**PROPOSED AMENDMENTS TO THE SAMPLING GRID FOR SITE 4, LONG BEACH
NAVAL COMPLEX, LONG BEACH, CALIFORNIA (File No. 90-76)**

We have received and reviewed your Proposed Amendments to the Sampling Grid for Site 4, at the Long Beach Naval Complex, dated February 20, 1997. We have no objections to the proposed modifications to the sampling grid, however, we will require that, should a sample exceed our screening criteria, the subsequent confirmational sample be analyzed for the full suite of contaminants of concern.

If you have any questions regarding this matter, please contact Hugh Marley at (213) 266-7669.



J.E. ROSS, Unit Chief
Site Cleanup Unit

cc: Alvaro Gutterez, Department of Toxic Substances Control
CDR Anthony Didomenico, Naval Shipyard Long Beach
Faig Aljabi, Navy Southwest Division, San Diego
Martin Hausladen, U.S. Environmental Protection Agency
Alan Lee, Navy Southwest Division, San Diego
Ms. Anna Ulaszewski, Naval Shipyard long Beach