



DEPARTMENT OF THE NAVY
SOUTHWEST DIVISION
NAVAL FACILITIES ENGINEERING COMMAND
ENVIRONMENTAL DIVISION
1220 PACIFIC HIGHWAY, RM 18
SAN DIEGO, CALIFORNIA 92132-5181

N60258.000657
NSY LONG BEACH
SSIC #5090.3

5090
Ser 1823.EC/2809
July 22, 1993

Ms. Leticia Segovia
Site Mitigation Branch
Department of Toxic Substances Control
Region 4
245 West Broadway, Suite 350
Long Beach, CA 90802

Dear Ms. Segovia:

A proposed change to the Site Inspection Workplan for Operable Unit 5 is submitted for your review.

The Explosive Ordnance Disposal (EOD) survey of site 16, Primer/Salvage Yard Area, cannot be conducted by having an EOD team survey the site and issue a "clear" area of declaration. The Navy EOD Technical Group has stated the site cannot be declared clear because metal debris in the area interferes with the methods used to survey sites. It will be necessary to move the five sample locations from inside the perimeter of the EOD area to just outside the perimeter of the raised area. The exact locations for sampling will be determined by the field engineer or geologist based on site conditions.

It is requested that a verbal response be provided as soon as possible so field work will not be impacted. This should be followed by a written response.

All comments should be directed to Ellen Casados, Code 1823.EC, (619) 532-2456.

Sincerely,

A handwritten signature in cursive script that reads "Ellen Casados".

ELLEN CASADOS
Remedial Project Manager
By direction of
the Commanding Officer