



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION IX

215 Fremont Street
San Francisco, Ca. 94105

June 26, 1987

In Reply
Refer To: T-4-3

Mr. Alex E. Dong
Head, Environmental Operations Section
Utilities Division, Code 1142
Western Division, Naval Facilities Engineering Command
P.O. Box 727
San Bruno, CA 94066

Dear Alex:

Enclosed please find a copy of the National Contingency Plan, as requested by Carol Lee. Because the 1986 amendments to CERCLA require that your environmental restoration efforts be consistent with all EPA guidelines, rules, regulations, and criteria I have taken the liberty of enclosing several other documents which you may want to incorporate into your Installation Restoration Program efforts:

- Guidance on Feasibility Studies Under CERCLA, 4/85,
- Superfund Public Health Evaluation Manual, 10/86,
- Interim Guidance on Superfund Selection of Remedy, 12/86, and
- Data Quality Objectives for Remedial Response Activities, 3/87.

Please be advised that the National Contingency Plan, including the Hazard Ranking System, is being revised and a new draft is due out in October, 1987. The Guidance on Feasibility Studies Under CERCLA is also being revised to incorporate the enclosed Interim Guidance and other CERCLA requirements, publication date unknown.

In order to inform all Federal facilities of these and other specific CERCLA requirements, we are preparing a letter describing Federal facility requirements under CERCLA §120 and EPA Region 9's oversight program; distribution is planned for early August, 1987. Also, I am coordinating a two day conference in San Francisco sometime in late October, 1987. We will invite all members of the Federal family and will have several speakers from EPA Headquarters. An agenda will be distributed within one month or so.

107

EPA/NAVY 4

I hope these actions will enhance your efforts to comply with CERCLA. Please don't hesitate to call if you have any questions (415/974-8603, FTS 454-8603).

Sincerely,



Nicholas Morgan
Superfund Federal Facilities
Coordinator

Enclosures

cc: Mr. Gary Gasperino, NEESA
Mr. Henry Shanks, WESTDIV

ENCLOSURE 1

NATIONAL CONTINGENCY PLAN

THIS ENCLOSURE WAS NOT SUBMITTED TO THE
ADMINISTRATIVE RECORD FILE.

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA, RECORDS MANAGER
NAVAL FACILITIES ENGINEERING COMMAND
SOUTHWEST
1220 PACIFIC HIGHWAY
SAN DIEGO, CA 92132**

**TELEPHONE: (619) 532-3676
E-MAIL: diane.silva@navy.mil**

ENCLOSURE 2

GUIDANCE ON FEASIBILITY STUDIES UNDER
CERLA

DATED APRIL, 1985

THIS ENCLOSURE WAS NOT SUBMITTED TO THE
ADMINISTRATIVE RECORD FILE.

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA, RECORDS MANAGER
NAVAL FACILITIES ENGINEERING COMMAND
SOUTHWEST
1220 PACIFIC HIGHWAY
SAN DIEGO, CA 92132**

**TELEPHONE: (619) 532-3676
E-MAIL: diane.silva@navy.mil**

ENCLOSURE 3

SUPERFUND PUBLIC HEALTH EVALUATION
MANUAL

DATED OCTOBER, 1986

THIS ENCLOSURE WAS NOT SUBMITTED TO THE
ADMINISTRATIVE RECORD FILE.

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA, RECORDS MANAGER
NAVAL FACILITIES ENGINEERING COMMAND
SOUTHWEST
1220 PACIFIC HIGHWAY
SAN DIEGO, CA 92132**

**TELEPHONE: (619) 532-3676
E-MAIL: diane.silva@navy.mil**

ENCLOSURE 4

INTERIM GUIDANCE ON SUPERFUND SELECTION OF
REMEDY

DATED DECEMBER, 1986

THIS ENCLOSURE WAS NOT SUBMITTED TO THE
ADMINISTRATIVE RECORD FILE.

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA, RECORDS MANAGER
NAVAL FACILITIES ENGINEERING COMMAND
SOUTHWEST
1220 PACIFIC HIGHWAY
SAN DIEGO, CA 92132**

**TELEPHONE: (619) 532-3676
E-MAIL: diane.silva@navy.mil**

ENCLOSURE 5

DATA QUALITY OBJECTIVES FOR REMEDIAL
RESPONSE ACTIVITIES

DATED MARCH, 1987

THIS ENCLOSURE WAS NOT SUBMITTED TO THE
ADMINISTRATIVE RECORD FILE.

QUESTIONS MAY BE DIRECTED TO:

**DIANE C. SILVA, RECORDS MANAGER
NAVAL FACILITIES ENGINEERING COMMAND
SOUTHWEST
1220 PACIFIC HIGHWAY
SAN DIEGO, CA 92132**

**TELEPHONE: (619) 532-3676
E-MAIL: diane.silva@navy.mil**