

DEPARTMENT OF TOXIC SUBSTANCES CONTROL

REGION 2
00 HEINZ AVE., SUITE 200
BERKELEY, CA 94710-2737



March 22, 1994

Commander
Western Division
Naval Facilities Engineering Command
Attn: Mr. Stephen Chao, Project Manager
900 Commodore Drive, Bldg. 101
San Bruno, California 94066-2402

Dear Mr. Chao:

**DRAFT FINAL ADDITIONAL INVESTIGATION OF INFERRED SOURCES
TECHNICAL MEMORANDUM, NAVAL AIR STATION MOFFETT FIELD**

The California Environmental Protection Agency (Cal/ EPA) has reviewed the subject document and associated response to comments. The following comments still need to be further clarified before the agency's approval of the final document.

1. Two parallel TCE concentration contour lines are shown in Figure 3. This could be interpreted as the existence of a TCE anomaly in between these two lines. If the only purpose of the contour lines is to show the approximate position of the regional VOC plume, it might be appropriate to eliminate the one across Building 245.
2. Is there any particular reason that cross section B-B' did not go below 35 feet? The sandy gravel unit (about 35 feet BLS) should be identified in Figure 5, it could perform as a channel for groundwater flow.

If you have questions regarding these comments, please contact me at (510) 540-3830.

Sincerely,

A handwritten signature in black ink that reads "C. Joseph Chou".

C. Joseph Chou
Engineering Geologist
Site Mitigation Branch

cc: See next page

2040

Mr. Steven Chao
March 22, 1994
Page Two

cc: Ms. Elizabeth Adams
Regional Water Quality Control Board
2101 Webster Street, Suite 500
Oakland, California 94612

Mr. Michael D. Gill
U.S. Environmental Protection Agency
Region IX, Mail Stop H-9-2
75 Hawthorne Street
San Francisco, California 94105