

DEPARTMENT OF TOXIC SUBSTANCES CONTROL

REGION 2

100 HEINZ AVE., SUITE 200
BERKELEY, CA 94710-2737
(510) 540-2122

N60028_000250
TREASURE ISLAND
SSIC NO. 5090.3.A



March 31, 1993

Commanding Officer
Western Division
Attn: Mr. Ernesto Galang, Code 1813
Naval Facilities Engineering Command
900 Commodore Drive
San Bruno, California 94066-0720

Dear Mr. Galang:

**FINAL FIELD WORK PLAN FOR CHARACTERIZATION WELL INSTALLATION,
NAVAL STATION TREASURE ISLAND**

The Department of Toxic Substances Control (DTSC) has completed its review of the final Field Work Plan and response to comments for Characterization Well Installation, for Naval Station Treasure Island. The Navy has satisfactorily responded to the DTSC's comments and has made the necessary changes to the Field Work Plan. The Field Work Plan for Characterization Well Installation is approved.

If you have any questions regarding this approval, please call me at (510) 540-3809.

Sincerely,

A handwritten signature in cursive script that reads "Thomas P. Lanphar".

Thomas P. Lanphar
Associate Hazardous Materials
Specialist
Site Mitigation Branch

cc: Ms. Gina Kathuria
San Francisco Bay Regional Water
Quality Control Board
2101 Webster Street, Suite 500
Oakland, California 94612

Commander Officer
Attention: Eddie V. Sarmiento
Code 80
Naval Station Treasure Island
410 Palm Avenue
San Francisco, California 94130-0410

Admin Record (3 Copies)

250

