N00174.AR.001057
NSWC INDIAN HEAD
5090.3a

LETTER DISCUSSING SUBMISSION OF SITE APPROVAL/ EXPLOSIVES SAFETY VERTIFICATOIN FOR SITE 12 NSWC INDIAN HEAD MD
3/13/2002
NAVFAC WASHINGTON

DEPARTMENT OF THE NAVY
NAVAL ORDNANCE SAFETY & SECURITY ACTIVITY
FARRAGUT HALL BLDG D-323
23 STRAUSS AVENUE
INDIAN HEAD MD 20640-5555

8020
Ser N7112/2046
13 Mar 02

SECOND ENDORSEMENT on NAVSURFWARCENDIV Indian Head ltr 8020 Ser 091DL of 6 Jun 01

From: Commanding Officer, Naval Ordnance Safety and Security Activity
To: Commander, Atlantic Division, Naval Facilities Engineering Command (BD1TB)

Subj: SUBMISSION OF SITE APPROVAL/EXPLOSIVES SAFETY CERTIFICATION FOR LOCAL PROJECT, INSTALLATION RESTORATION SITE 12 REMEDIATION, NAVAL SURFACE WARFARE CENTER, INDIAN HEAD DIVISION [N00174/IR SITE 12/K-104]

1. Returned for continuing action.

2. This project, which provides for placing a soil cap on the existing Installation Restoration (IR) Site 12, Town Gut Landfill, at Naval Surface Warfare Center, Indian Head Division, Indian Head, Maryland, has been reviewed with respect to, and meets, the explosives safety criteria of reference (b). Accordingly, both explosives safety site and final explosives safety approvals are granted for this project.

3. During the period of construction and operations associated with this project, an authorization is granted to permit the presence of construction and environmental remediation workers, and any necessary material laydown area, within intraline (K18) ESQD arcs, until completion of this environmental remediation project. If trailers or other structures with assigned personnel are required as construction or operations offices, they must be located outside of the inhabited building explosives safety quantity distance (ESQD) from explosives storage and handling locations.

RICHARD T. ADAMS
By direction

Copy to:
NAVSURFWARCENDIV Indian Head (Code 091JS)
NOSSA ESSOLANT (N7L)